

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

63.1
Great
Britain
1911 S-2

**INDOOR
PLANTS**

*Indefinite
May 1/14.*

U.S. Dept. of Agriculture
U.S. DEPT. OF AGRICULTURE
WASHINGTON, D.C.



By Special Appointment to
His Majesty The King.



NEW WINTER-FLOWERING BEGONIA
The Gem.

JAMES VEITCH & SONS,
LTD.,
ROYAL EXOTIC NURSERY,
CHELSEA, LONDON.

Visitors will be cordially welcomed at all our Nurseries on all week-days except Bank Holidays (see map on page 3 of cover).

The various Branches are as follows:

**Royal Exotic Nursery,
544, King's Road,
Chelsea, London.**

Telephone: 1642, Western
Telegrams: Veitch, Chelsea.

**Stove and Greenhouse Plants,
Orchids, Palms, Ferns, Bay
Trees in Tubs, etc.]**

Vegetable and Flower Seeds, Bulbs,
and all Garden Tools and Sundries.
All requirements for London Houses
and Gardens.

**Coombe Wood,
Kingston Hill.**

Station—NORBITON (1½ miles)
(L. & S. W. R., Kingston Line)
Cabs at the Station.

Hardy Ornamental Trees and Shrubs,
Avenue Trees, Yews,
American Plants, Climbers,
Rhododendrons, Conifers, Bamboos,
Hardy Water Lilies and
Aquatic Plants, etc.
Roses in Pots.

Langley, near Slough.

Station—SLOUGH (G. W. R.)
(1 mile to Langley
New Town entrance)
Cabs at the Station.

All descriptions of Apple, Pear and
Cherry Trees, Currants and
Gooseberries, Strawberries, Hardy
Herbaceous Perennials and Alpine
Plants, Roses in the Open Ground,
Choice Seed Cultures.

Feltham, Middlesex.

Station—FELTHAM (L & S. W. R.,
Windsor and Reading Line)
10 minutes' walk.

Trained Peaches, Nectarines, Apricots,
Plums, Cherries, etc., in all shapes and
varieties, Raspberries, Asparagus,
Sea Kale, Rhubarb, etc.

**SPECIALITY.—Grape Vines and
Fig Trees in pots, also a magnifi-
cent stock of Fruit Trees in pots
for Orchard House Culture.**

**Carnations, Chrysanthemums,
Camellias, Gloxinias, Fuchsias, etc.**
Seed Trial Grounds.

Letters and remittances should be addressed to the Head Office
at Chelsea.

Visitors are cordially invited to call at Chelsea and Feltham to satisfy themselves of the good quality of our Indoor Plants. There is no obligation to purchase.

The Chelsea Nursery has entrances both in King's Road and Fulham Road.

The most convenient Underground Stations are Sloane Square (for King's Road) and South Kensington (for Fulham Road).

Motor Omnibuses from these Stations pass the Nursery.

The Feltham Nursery is seven minutes' walk from Feltham Station, L. S. W. R. (Windsor Line).

Orders by Post receive the best attention, and customers unable to make a personal call may rely on obtaining plants selected with the greatest care.

Export Orders may be entrusted to us with complete confidence as we are accustomed to send our plants, suitably packed, to all parts of the world.

Gratis Plants to help towards the cost of carriage are added whenever the order is sufficiently large.

Catalogue Prices are usually for the ordinary sizes, but we shall always be very pleased to send quotations for larger plants.

Cash Discount at Five per cent is allowed on Invoices of the value of 20/- or over, if paid within 30 days from date of Invoice.

This discount does not apply to export orders, as the value is made up to the customer in extra strong plants, specially selected to stand the voyage.

Packing Charges are reduced to the lowest cost, consistent with the well-known high standard of our packing, which ensures plants reaching our customers in the best possible condition. The charges include the cost of all material as well as the skilled labour of our special staffs of packers. Half-price will be allowed on empty crates, boxes and baskets if returned at once in good condition, carriage paid and advised by post. Bundles are not returnable.

JAMES VEITCH & SONS,
LTD.,
CHELSEA.

THE LAWRENCE MEDAL



OBVERSE.



REVERSE.

The **LAWRENCE GOLD MEDAL** for 1910 was awarded by the Council of the Royal Horticultural Society to Messrs. James Veitch & Sons, Ltd., for "a series of highly meritorious exhibits during the year, including the wonderful collection of Stove and Greenhouse Plants shown on October 25th."

This group has been recommended the Lawrence Medal, which is given in December.

ROYAL HORTICULTURAL SOCIETY

VINCENT SQUARE, WESTMINSTER, S.W.

ESTABLISHED A.D. 1804.



INCORPORATED A.D. 1809.

GOLD



MEDAL.

Oct. 25th 1910.
Awarded to Messrs James Veitch & Sons
For a group of Nephthys, Stove & Greenhouse Plants

Facsimile (reduced) of the Award made at the Horticultural Hall on October 25th, 1910, with special endorsement.

RECENT AWARDS

gained by our groups of Orchids and Stove and Greenhouse Plants are conclusive evidence that the quality of our plants still maintains the same standard of excellence as in past years.

1909.


| | | | |
|---------|--------------------|--|-----------------|
| May 25 | Temple Show | Flowering and Foliage Plants | Gold Medal |
| July 6 | Holland House | Stove Plants, Orchids, Carnations, &c. | Gold Medal |
| July 21 | Cardiff | Stove Plants | Two Gold Medals |
| Oct. 12 | Horticultural Hall | Nepenthes, &c. | Gold Medal |

1910.

| | | | |
|---------|--------------------|--|-----------------|
| Feb. 22 | Horticultural Hall | Cyclamen and Forced Shrubs | Gold Medal |
| Mar. 22 | Horticultural Hall | Primulas and Amaryllis | Gold Medal |
| May 24 | Temple Show | Flowering Plants and Foliage Plants | Two Gold Medals |
| July 7 | Holland House | Greenhouse and Stove Foliage Plants. | Gold Medal |
| Aug. 17 | Shrewsbury | Stove Plants | Gold Medal |
| Oct. 25 | Horticultural Hall | Choice Stove and Greenhouse Plants | Gold Medal |

1911.

| | | | |
|---------|--------------------|---|------------|
| Feb. 28 | Horticultural Hall | Azaleas, Forced Shrubs, Greenhouse Plants | Gold Medal |
| Mar. 28 | Horticultural Hall | Cyclamen and Flowering Plants | Gold Medal |



A GROUP OF MESSRS. VEITCH'S ORCHIDS AT THE HORTICULTURAL HALL, VINCENT SQUARE.

ORCHIDS

Prices liable to fluctuation according to market.

Special quotations for quantities or extra-sized plants.

We consider the Orchids named in this List are the kinds most worthy of cultivation, for their beauty and general usefulness. Good plants can be supplied at prices to suit all buyers. Many other kinds can always be quoted at moderate prices. We do not print the names of rare species and expensive hybrids as the stocks of these are limited and the prices uncertain, but we shall always be pleased to furnish the fullest particulars.

Cattleyas, Odontoglossums, Dendrobiums and Oncidiums are beautiful objects for Spring and Summer-flowering, while for Autumn and Winter use Cypripediums are invaluable. These latter are easy to cultivate, the flowers keep fresh for seven or eight weeks on the plants, and for a fortnight when cut. No class of Orchids has been more improved, and the magnificent varieties with large white, or spotted dorsal sepals produce a most beautiful effect in the decoration of tables and rooms.

Many of the best Orchids do not require a house to themselves, but can be grown among mixed collections of plants.

For the benefit of customers who may be desirous of making a beginning but do not wish to make their own selection, we shall be glad to choose suitable kinds.

| | | | | | |
|-----------------------|------|-------------------------------|------|-----------------------------------|------|
| Ada | | Catasetum | | Cattleya | |
| aurantiaca | 2/6 | Bungerothii | 21/- | Portia | 7/6 |
| Angræcum | | Cattleya | | Schilleriana (<i>Regnellii</i>) | 10/6 |
| Leonis | 5/- | bicolor | 7/6 | Schrederæ | 5/- |
| sesquipedale | 21/- | Bowringiana | 7/6 | Skinneri | 5/- |
| Anguloa | | citrina | 5/- | Trianae | 3/6 |
| Clowesii | 10/6 | Dowiana | 21/- | velutina | 10/6 |
| Brassavola | | aurea | 15/- | Warneri | 5/- |
| (Lælia) Digbyana | 5/- | Fabia | 10/6 | Warszewiczii (<i>gigas</i>) | 5/- |
| glauca | 5/- | Gaskelliana | 5/- | Chysis | |
| Brassia | | gigas (<i>Warszewiczii</i>) | 5/- | aurea | 7/6 |
| brachiata | 5/- | Sanderiana | 10/6 | bractescens | 10/6 |
| Lawrenceana | 10/6 | granulosa | 5/- | Cochlioda | |
| verrucosa | 5/- | Hardyana | 10/6 | Noezliana | 5/- |
| Brassocattleya | | intermedia | 7/6 | Cœlogyne | |
| Digbyano-gigas | 21/- | labiata | 3/6 | cristata | 3/6 |
| Brassolælia | | Lawrenceana | 15/- | hololeuca (<i>alba</i>) | 7/6 |
| Digbyano-purpurata | 10/6 | Leopoldii | 10/6 | Dayana | 5/- |
| Bulbophyllum | | Loddigesii | 5/- | Massangeana | 7/6 |
| Lobbii | 7/6 | Harrisoniæ | 5/- | pandurata | 10/6 |
| Calanthe | | Mantiniï | 10/6 | speciosa | 5/- |
| Bella | 5/- | marginata | | tomentosa | 7/6 |
| Veitchii | 2/6 | (Lælia pumila) | 5/- | Cycnoches | |
| veratrifolia | 10/6 | Mendelii | 5/- | chlorochilon | 10/6 |
| vestita rubro-oculata | 3/6 | (See illustration page 6) | | Cymbidium | |
| lutea | 3/6 | Mossiæ | 3/6 | eburneum | 7/6 |
| | | Mrs. J. W. Whiteley | 10/6 | eburneo-Lowianum | 10/6 |
| | | Percivaliana | 5/- | | |



CATTLEYA MENDELII.

The finest of all Cattleyas. Flowers during May and June. Easily cultivated (See page 5).



POPULAR COOL-HOUSE ORCHIDS.

1 *Cymbidium Lowianum* (lasts in flower upwards of three months).
 2 „ „ *insigne* (Sanderi).

Cymbidium

| | |
|--------------------------|------|
| <i>giganteum</i> | 5/- |
| <i>insigne</i> (Sanderi) | 21/- |
| (See illustration above) | |
| <i>Lowianum</i> | 5/- |
| (See illustration above) | |
| <i>Tracyanum</i> | 5/- |
| <i>Winnianum</i> | 21/- |

Cypripedium

| | |
|---------------------|------|
| <i>Actæus</i> | 3/6 |
| <i>Langleyensis</i> | |
| <i>Argus</i> | 5/- |
| <i>Arthurianum</i> | 5/- |
| <i>aureum</i> | 5/- |
| <i>Hye anum</i> | 21/- |
| <i>Virginale</i> | 15/- |

Cypripedium

| | |
|-----------------------|------|
| <i>bellatulum</i> | 5/- |
| <i>Boxallii</i> | 3/6 |
| <i>callosum</i> | 3/6 |
| <i>Sanderae</i> | 21/- |
| <i>caudatum</i> | 10/6 |
| <i>Charlesworthii</i> | 3/6 |
| <i>ciliolare</i> | 5/- |
| <i>concolor</i> | 7/6 |

Cypripedium

| | |
|--------------------------|------|
| Countess of Carnarvon | 3/6 |
| (See illustration below) | |
| Crusader | 21/- |
| Curtisii | 5/- |
| Doris | 3/6 |
| Druryi | 10/6 |
| Euryades | 3/6 |
| euryandrum | 7/6 |
| Exul | 5/- |
| Fairieanum | 3/6 |
| Germinyanum | 7/6 |
| Godseffianum | 5/- |
| grande | 5/- |
| atratum | 10/6 |
| Harrisianum | 3/6 |
| superbum | 10/6 |

Cypripedium

| | |
|-----------------|------|
| H. Ballantyne | 42/- |
| hirsutissimum | 5/- |
| Hitchinse | 5/- |
| insigne | 3/6 |
| Chantinii | 5/- |
| Harefield Hall | 15/- |
| McNabianum | 10/6 |
| Oddity | 5/- |
| Laura Kimball | 10/6 |
| Sanderae | 10/6 |
| James H. Veitch | 21/- |
| Lathamianum | 3/6 |
| Lawrenceanum | 3/6 |
| Leeanum | 3/6 |
| Clinkaberryanum | 31/6 |

Cypripedium

| | |
|---------------------|------|
| Leeanum giganteum | 5/- |
| magnificum | 15/- |
| superbum | 5/- |
| Virginale | 10/6 |
| Maudie | 31/6 |
| magnificum | 42/- |
| Memnon | 10/6 |
| Memoria Moensii | 10/6 |
| Milo | 21/- |
| Mrs. William Mostyn | |
| Niobe | 7/6 |
| nitens | 3/6 |
| niveum | 5/- |
| Numa nigra | 7/6 |
| oenanthum superbum | 3/6 |
| Prospero | 5/- |



CYPRIPEDIUM COUNTESS OF CARNARVON.

One of the best winter-flowering varieties A [good] grower.



DENDROBIUM WARDIANUM.
The finest of all Dendrobiums (See page 10).

**ONCIDIUM CONCOLOR.****Bright lemon-yellow, very free, spring flowering**

(See page 12).

Cypripedium

| | |
|--------------------------------|------|
| Rolfeae | 10/6 |
| Rosettii | 31/6 |
| Rothschildianum | 7/6 |
| selligerum | 5/- |
| Spicerianum | 3/6 |
| St. Alban | 10/6 |
| superbiens (<i>Veitchii</i>) | 7/6 |
| T. B. Haywood | 5/- |
| Thompsonianum | 21/- |
| Tityus superba | 21/- |
| tonsum | 5/- |
| triumphans | 42/- |
| Troilus | 3/6 |
| Veitchii (<i>superbiens</i>) | 7/6 |
| venustum | 3/6 |
| vexillarium | 5/- |
| Ville de Paris | 21/- |
| villosum | 3/6 |
| auriferum | 10/6 |
| Wiertzianum | 5/- |

Dendrobium

| | |
|--------------------|------|
| aggregatum | 5/- |
| Ainsworthii | 5/- |
| Brymerianum | 10/6 |
| chrysotoxum | 7/6 |
| clavatum | 5/- |
| crassinode | 3/6 |
| Dalhousieanum | 10/6 |
| Dearei | 7/6 |
| densiflorum | 7/6 |
| dixanthum | 7/6 |
| Falconeri | 5/- |
| Farmeri | 5/- |
| formosum giganteum | 5/- |
| infundibulum | 5/- |
| Jamesianum | 5/- |
| nobile | 3/6 |
| nobilis | 10/6 |
| Virginale | 10/6 |
| Phalenopsis | 3/6 |
| Schroederianum | 3/6 |

Dendrobium

| | |
|-----------------|------|
| primulinum | 5/- |
| Regium | 10/6 |
| splendidissimum | 7/6 |
| suavissimum | 5/- |
| thyrsoflorum | 5/- |
| Wardianum | 3/6 |

(See illustration page 9)

Dendrochilum(See *Platyclinis*, page 12)**Disa**

| | |
|-------------|------|
| grandiflora | 10/6 |
| Luna | 10/6 |

Epidendrum

| | |
|---------------------|------|
| aurantiacum | 10/6 |
| Obrienianum | 5/- |
| prismatocarpum | 7/6 |
| radicans | 5/- |
| vitelliflorum majus | 5/- |

Eiphronitis


| | |
|----------|-----|
| Veitchii | 7/6 |
|----------|-----|

Lælia

| | |
|--------------------------------|------|
| albida | 5/- |
| anceps | 5/- |
| alba | 10/6 |
| Sanderiana | 10/6 |
| Stella | 10/6 |
| autumnalis | 5/- |
| cinnabarina | 5/- |
| cinnabrosa | 7/6 |
| (<i>Brassavola</i>) Digbyana | 5/- |
| elegans | 10/6 |
| (<i>Brassavola</i>) glauca | 5/- |
| harpophylla | 7/6 |
| Jongheana | 7/6 |
| Latona | 7/6 |
| majalis | 7/6 |
| Mrs. M. Gratrix | 10/6 |
| Perrinii | 5/- |
| pumila (<i>Cattleya</i> | |
| marginata) | 5/- |
| præstans | 5/- |
| purpurata | 7/6 |
| tenebrosa | 7/6 |

Læliocattleya

| | |
|----------------|------|
| Bletchleyensis | 5/- |
| callistoglossa | 10/6 |
| ignescens | 42/- |



ODONTOGLOSSUM CRISPUM.

Unquestionably the most useful Orchid for all purposes for which flowers are grown. When the plant is kept quite cool the lovely spikes of bloom are freely produced and last in beauty a long time. The natural grace of the plant is unequalled and the value of the flowers, whether cut or uncut, is so great that it is hardly possible to have too many (See page 12).

Laeliocattleya

| | |
|----------------|-------|
| Canhamiana | 10/6 |
| alba | 21/- |
| Coronis | 7/6 |
| Charlesworthii | 10/6 |
| Dominiana | 42/- |
| Langleyensis | 105/- |
| Highburyensis | 7/6 |
| luminosa | 21/- |
| Nysa | 10/6 |
| Tenos | 7/6 |
| Violetta | 21/- |

Lycaste

| | |
|----------|------|
| Skinneri | 3/6 |
| alba | 42/- |

Masdevallia

| | |
|------------------------|------|
| Ajax | 5/- |
| Chimera | 5/- |
| Curlei | 7/6 |
| Harryana | 3/6 |
| ignea | 3/6 |
| Imogen | 3/6 |
| Lindenii | 3/6 |
| Pourbaixii | 5/- |
| Schlimii | 3/6 |
| Schroederiana | 10/6 |
| Tovarensis | 3/6 |
| Veitchiana | 7/6 |
| Veitchiana grandiflora | 7/6 |

Maxillaria

| | |
|------------|------|
| luteo-alba | 10/6 |
| Sanderiana | 10/6 |
| tenuifolia | 5/- |
| venusta | 5/- |

Miltonia

| | |
|----------------------|-----|
| spectabilis | 5/- |
| Moreliana | 7/6 |
| vexillaria | |
| (Odont. vexillarium) | 7/6 |

Neobenthamia

| | |
|----------|------|
| gracilis | 10/6 |
|----------|------|

Odontoglossum

| | |
|------------------------------|-----|
| Adrianæ | 5/- |
| Alexandre (<i>crispum</i>) | 2/6 |
| Andersonianum | 3/6 |
| ardentissimum | |
| Cervantesii | 5/- |
| citrosmum | 5/- |
| crispum (<i>Alexandre</i>) | 2/6 |
| (See illustration page 11) | |

Odontoglossum

| | |
|-------------------------------|------|
| Edwardii | 7/6 |
| gloriosum (<i>odoratum</i>) | 3/6 |
| grande | 5/- |
| Hallii | 5/- |
| Harryanum | 7/6 |
| hastilabium | 7/6 |
| luteo-purpureum | 5/- |
| nebulosum | 7/6 |
| odoratum (<i>gloriosum</i>) | 3/6 |
| Pescatorei | 3/6 |
| pulchellum majus | 5/- |
| Rolfeæ | 21/- |
| Rossii majus | 3/6 |
| triumphans | 3/6 |
| Uro-Skinneri | 7/6 |
| (Miltonia) vexillarium | 5/- |
| Wilkeanum | 10/6 |

Oncidium

| | |
|----------------------------|------|
| bicallosum | 10/6 |
| Cavendishianum | 7/6 |
| cheirophorum | 7/6 |
| concolor | 3/6 |
| (See illustration page 10) | |
| crispum | 5/- |
| cucullatum | 5/- |
| curtum | 5/- |
| flexuosum | 5/- |
| Forbesii | 5/- |
| fuscatum | 5/- |
| Gardneri | 5/- |
| incurvum | 5/- |
| Kramerianum | 5/- |
| Lanceanum | 10/6 |
| leucochilum | 7/6 |
| macranthum | 10/6 |
| Marshallianum | 7/6 |
| ornithorhynchum | 5/- |
| Papilio majus | 7/6 |
| phymatochilum | 5/- |
| sarcodes | 5/- |
| sphacelatum | 7/6 |
| splendidum | 7/6 |
| tigrinum | 5/- |
| varicosum | 5/- |
| Wentworthianum | 7/6 |

Peristeria

| | |
|---------------------|------|
| elata (Dove Orchid) | 10/6 |
|---------------------|------|

Phaius

| | |
|--------------|------|
| grandifolius | 7/6 |
| Sanderianus | 10/6 |

Phalænopsis

| | |
|---------------|------|
| amabilis | 10/6 |
| Esmeralda | 10/6 |
| grandiflora | 10/6 |
| Luddemanniana | 10/6 |
| Rimestadiana | 5/- |
| Schilleriana | 10/6 |

Pilumna (Trichopilia)

| | |
|----------|-----|
| fragrans | 5/- |
|----------|-----|

Platyclinis

| | |
|----------------|------|
| (Dendrochilum) | |
| filiformis | 10/6 |
| glumacea | 5/- |

Pleurothallis

| | |
|----------|------|
| Roetzlii | 10/6 |
|----------|------|

Promenæa

| | |
|---------|-----|
| citrina | 5/- |
|---------|-----|

Renanthera

| | |
|-------------|-----|
| Imshootiana | 7/6 |
|-------------|-----|

Sobralia

| | |
|-----------|------|
| macrantha | 10/6 |
| Veitchii | 21/- |

Sophronitis

| | |
|-------------|-----|
| grandiflora | 5/- |
|-------------|-----|

Stanhopea

| | |
|-------------|------|
| eburnea | 10/6 |
| grandiflora | 10/6 |
| oculata | 10/6 |
| tigrina | 10/6 |
| Wardii | 7/6 |
| aurea | 10/6 |
| venusta | 7/6 |

Trichopilia

| | |
|--------------------|------|
| (Pilumna) fragrans | 5/- |
| suavis | 10/6 |
| tortilis | 5/- |

Trichosma

| | |
|--------|------|
| suavis | 10/6 |
|--------|------|

Vanda

| | |
|-------------|------|
| Amesiana | 5/- |
| cærulea | 5/- |
| Kimballiana | 5/- |
| suavis | 15/- |
| teres | 5/- |
| tricolor | 15/- |

Zygopetalum

| | |
|----------|-----|
| crinitum | 5/- |
| Mackayii | 5/- |



ALOCASIA THIBAUTIANA.

STOVE PLANTS

Requiring winter temperature 60°–65° F.

ALOCASIAS

These are foliage plants of very great beauty, with large handsome leaves. They can be easily grown in an ordinary stove house, and are most suitable subjects for exhibition and general decorative purposes. The prices given below are for healthy young plants, but stronger ones can always be supplied at a slightly higher cost. The following are the best species:—

| | | | |
|--|-----|---|-----|
| argyrea , dark green and silvery leaves, prominent midrib | 3/6 | Sanderiana , small dark green leaves, with deep-lobed sides, dark green with ivory-white midrib and borders | 5/- |
| macrorhiza variegata , large green leaf heavily blotched with white, leaves frequently quite white | 3/6 | Thibautiana , large ovate leaves, deep olive-green, prominent grey midrib and veins, one of the best. (See illustration above) | 5/- |
| Martin Cahuzac , large undulated leaf almost round, light green and silvery grey | 5/- | Watsoniana , very large dark green wavy leaves, midrib and veins silvery white | 5/- |
| metallica , self-coloured dark bronze | 3/6 | | |
| Mortefontaineensis , long and broad leaves, undulating edges bright green, ivory-white midrib and veins | 3/6 | | |



Typical Seedlings from our celebrated strain, flowering in 2½ years from seed.

VEITCH'S GOLD MEDAL AMARYLLIS (HIPPEASTRUMS)

The horticultural press has unanimously expressed its opinion of the great advance in quality, form and size of the many magnificent varieties raised in our Chelsea Nursery, and this opinion has been more than confirmed by many Awards of Merit gained by our exhibits at the Meetings of the Royal Horticultural Society.

(See illustration above.)

| | £ | s. | d. |
|--|---|----|----|
| 6 Good named Amaryllis (our selection) | 1 | 10 | 0 |
| 6 Fine named " " | 2 | 5 | 0 |
| 6 Splendid named new Amaryllis (our selection) | 5 | 5 | 0 |
| 12 Good named " " | 2 | 15 | 0 |
| 12 Fine named " " | 4 | 4 | 0 |
| 12 Splendid named new " " | 9 | 9 | 0 |

Fine unnamed flowering-size seedling Amaryllis, our own raising,
42/- per doz.; £15 per 100.

A FEW OF OUR BEST NAMED AMARYLLIS

| | | | |
|--|------|--|-------|
| Acoris , deep rosy scarlet, white margin | 21/- | Janira , bright reddish crimson, little green | 10/6 |
| Alastor , bright orange-scarlet, little green at base | 7/6 | Lavacea , reddish crimson self, fine form | 42/- |
| Andean , reddish scarlet, small green eye | 7/6 | Marcus , orange-scarlet self, extra fine form | 105/- |
| Blaydon , deep crimson, shaded scarlet | 21/- | Melona , rich dark crimson self | 21/- |
| Cicero , white, rose markings | 7/6 | Mesula , orange-scarlet, white rays | 10/6 |
| Calerus , orange-scarlet, large white star | 7/6 | Nysa , deep crimson, darker towards the base | 42/- |
| Caledon , reddish scarlet, small green eye | 10/6 | Neveda , reddish crimson, little green at base | 7/6 |
| Demeter , crimson, shaded rose | 10/6 | Othyrys , cream white, slight rose veins | 21/- |
| Estella , rose, white edged | 10/6 | Pitho , rosy scarlet, deeper towards the centre | 42/- |
| Euphrasia , rich velvet-crimson self | 42/- | Queen Alexandra , scarlet, shaded rose, centre and margin white | 42/- |
| Figaro , crimson self | 10/6 | Romola , dark reddish crimson | 42/- |
| Gamos , reddish scarlet, green eye | 7/6 | Titian , white, fine rose veins | 21/- |
| Hogarth , deep crimson, shaded rose | 42/- | Uranus , light scarlet, shaded rose | 10/6 |
| Ilfra , orange-scarlet, deeper towards centre | 21/- | | |



ANTHURIUM SCHERZERIANUM (See page 17).



ANTHURIUM VEITCHII (See page 17).

ANTHURIUMS

Specially valuable for the length of time they remain in flower.

| | | | |
|---|-----|---|-----|
| Andreanum , a beautiful species with a corrugated orange-red spathe | 5/- | Andreanum Thellusonii , similar to the variety giganteum, but brighter in colour | 5/- |
| — album , pure white spathe, the most effective of all the Andreanum forms | 5/- | Scherzerianum , flowerspathe bright red with orange-red spadix. (See illustration page 15) | 3/6 |
| — atrosanguineum , deep coral-red; one of the finest dark varieties | 5/- | — Duvivierianum , by far the best white variety | 5/- |
| — delicatum , delicate rose colour | 5/- | — Madame Dalliere , bright rose-pink; the best of this colour | 5/- |
| — giganteum , a large and beautiful form of Andreanum | 5/- | — Rothschildianum , spathe white, spotted and freckled with red | 3/6 |

FOLIAGE VARIETIES

| | | | |
|--|------|---|-----|
| crystallinum , large cordate leaves of a rich velvety green with the principal veins elegantly banded with silver | 3/6 | Veitchii , leaves ovate-oblong, 2 to 3 ft. long, deep green with metallic lustre and waved surface. (See illustration page 16) | 5/- |
| — illustre , leaves variegated with cream white, in various ways | 10/6 | Warocqueanum , leaves 2 to 3 ft. long, deep green with a light green midrib and secondary veins | 5/- |

Large plants of extra fine varieties can be supplied from 21/- upwards.

BEGONIAS

PERPETUAL-FLOWERING AND EVERGREEN

Varieties cultivated for their flowers.

A fine race of Begonias for furnishing an abundant supply of flowers for the greenhouse and conservatory during the summer and autumn months.

18/- to 30/- per doz.


| | |
|--|---|
| Ascotensis , pink | Ingramii , reddish pink |
| carminata , bright carmine-pink | insignis , pinkish lilac |
| coccinea , flowers scarlet | Knowsleyana , blush-white, very free |
| Comte de Limmghe , reddish scarlet | Lucerna , pale pink |
| Corbeille de Feu , orange-scarlet | parvifolia , white |
| Digswelliana , soft pink | polyantha , carmine-flowers |
| Dregei , flowers pure white | President Carnot , carmine-red |
| fuchsoides , bright coral-red | Sutherlandii , orange |
| Gloire de Chatelaine , bright rosy pink | Weltoniensis , light pink. |

BEGONIAS, PERPETUAL-FLOWERING & EVERGREEN.

Varieties cultivated for their ornamental foliage.

They are of the easiest culture and most useful for rockeries or along the edges of walks under stages in warm greenhouses with moist atmosphere.

12/- to 18/- per doz.



BEGONIA WITH ORNAMENTAL FOLIAGE.

Gogoensis, leaves yellowish green with bronzy blotches, red underneath

Goliath, centre brown, zone of white bordered with a narrow band of green

His Majesty, rosy lilac changing to rich carmine

Isabella Bellon, silvery red, purple shading

La France, dark ground, silvery centre, with spotted white border

Leontre, silver ground, centre and margin light spotted green

Louis Chretienne, Improved, dark purplish green leaves with silver spots tinted with rose

Madame Algatier, bronzy green centre, broad silver margin tinted with rose

margaritacea, leaves bronzy green with silvery patches tinted with rose and covered with short crimson hairs

Adolphe Pollock, bronzy green, silvery markings

Apollo, silvery grey ground suffused with claret, margin spotted with dark green

argentea hirsuta, olive-green ground, bright silver markings

Arthur Mallett, bright rose, silvery gloss

Bergen, silvery leaves, bronze blotches

Brian Boru, margin and centre bright green and purple, enclosing a broad silver band

Catherine Schmitt, bronzy green ground darker margin, deep silvery blotched; an effective variety

Chicago, silver ground, green edged with silver dots

Claudine Schmitt, silver ground, bronzy green centre speckled white

Comtesse de Telluson, dark bronzy green, darker edged

Gaspard Crayer, dark green heavily spotted with silvery white

Gloire des Ardennes, centre silvery carmine, border green

Masterpiece, silver ground, purple-black centre and margin

Mrs. H. G. Moon, silver ground, margin and centre deep purple

nebulosa, bright bronzy green spotted white

Paul Heriot, bronzy green midrib and margin with irregular silver-grey ground

President Carnot, bronzy-green ground, large silver spots; under surface carmine

President Van den Hecken, silver ground, centre and margin speckled deep green

President Viger, bronzy green with a carmine undersurface

Remilly, silver ground, rose margin, small green centre

Rex rubrum, bright red stems, dark bronzy green foliage

Roger Dronett, silver-green ground, dark green centre

Rostoff, centre bronze, margin silvery grey

The Queen, bronzy purple margin and centre, green band with silver dots

Ville de Sille, very distinct silver ground, foliage bordered with bronzy green.



BEGONIA WINTER CHEER (See page 21).

VEITCH'S

GOLD MEDAL WINTER-FLOWERING BEGONIAS

A new race of Winter-flowering Begonias, produced by crossing *B. Socotrana*, a winter-flowering species, with the summer-flowering tuberous varieties. They commence to flower in October and continue flowering until the middle of January.

CULTURAL NOTES.—Winter temperature about 55° to 60° F. After flowering keep them moderately dry until March when they commence to grow, then give more water.

After growth is started repot, using a mixture of two-thirds light fibrous loam, one-third good leaf mould or turfy peat, with silver sand added. Then place the plants in a temperature about 60° to 65° F.—(Continued on next page.)

CULTURAL NOTES FOR WINTER-FLOWERING BEGONIAS.

When the shoots are 3 in. long, take cuttings. Put each cutting into a small thumb pot and place it in a hand-light or frame, with the temperature about 70° F. As soon as the cuttings are rooted pot them into larger pots and repot as required. Cuttings taken off in May, June and July make good flowering plants in the autumn and winter.

Do not syringe the plants but keep the house moist, giving a little air when weather permits.

Fumigate at intervals to prevent insect pests, which cripple the foliage if not taken in time.

The plants do well under similar treatment to Begonia Gloire de Lorraine.



BEGONIA MRS. HEAL (See page 21).

- | | | | |
|---|-----|--|-----|
| Agatha , resembles the variety Gloire de Lorraine, but larger and richer coloured | 2/6 | Ideala , dwarf, rarely exceeding 9 in. in height, flowers 2 in. across, bright rose-carminé | 2/6 |
| Elatior , rose-carminé, semi-double flowers, neat compact habit, very free flowering | 3/6 | John Heal , flowers 1½ to 2 in. in diameter, of a bright rose-carminé | 2/6 |
| Ensign , light carminé toned with scarlet, semi-double | 2/6 | Julius , flowers from 2 to 2½ in. in diameter, delicate rose-pink suffused with white | 2/6 |

WINTER-FLOWERING BEGONIAS—continued.

| | | | |
|---|-----|--|-----|
| Mrs. Bedford , stronger and more upright in growth than Gloire de Lorraine producing larger flowers of richer colours ; a superb variety | 2/6 | The Gem , a new variety of great merit, upright, pyramidal and branching habit, very floriferous, with intense brilliant rosy scarlet flowers and compact double centre. Exceedingly bright and effective (see illustration on cover) | 7/6 |
| Mrs. Heal , single flowers 3 in. in diameter, brilliant rose-carmine toned with scarlet (see illustration page 20) | 2/6 | Winter Cheer , flowers over 3 in. in diameter, semi-double, of a shade of rose-carmine (see illustration page 19) | 2/6 |
| Success , flowers rosy crimson, semi-double, yellowish green in centre | 2/6 | Winter Perfection , semi-double, bright rose-pink, lighter towards the centre. | 2/6 |

OTHER GOOD VARIETIES
OF WINTER-FLOWERING BEGONIAS

| | | | |
|---|-----|---|-----|
| Gloire de Lorraine , beautiful bright rose-pink flowers ; a good variety for general purposes | 1/6 | incomparabilis , very bright orange-scarlet | 2/6 |
| Gloire de Sceaux , leaves with a bronzy metallic lustre, crimson beneath ; flowers freely produced, bright rose-pink | 2/6 | Kewensis , very suitable for basket culture, white flowers produced freely in clusters | 2/6 |
| Haageana , very fine handsome foliage and large trusses of blush, white flowers | 2/6 | Patrie , bright rosy pink flowers, compact habit | 1/6 |
| | | socotrana (species), light pink | 2/6 |
| | | Turnford Hall , blush-white, similar in habit to the well-known Gloire de Lorraine | 1/6 |

BERTOLONIAS

These lovely plants, commonly known as Jewel Plants, are the most exquisitely pretty and daintily marked foliage plants grown. Their habit is very dwarf, and their extremely beautiful colourings and markings are displayed in every leaf. Some are spotted, splashed and mottled with rosy crimson and others with soft pink and silvery white. They are easily cultivated in a warm and moist stove, especially if enclosed in a case such as is used for propagating purposes. They can be used in many ways for indoor decorations and are invaluable for putting in exhibition groups.

| | | | |
|--------------------------|-----|--------------------------|-----|
| Madame A. Bleu | 5/- | Madame Van Houtte | 5/- |
| — De la Devansaye | 7/6 | rosea guttata | 7/6 |
| — Edward Pynaert | 5/- | sericea cristata | 5/- |
| — Leon Say | 5/- | Souvenir de Gand | 5/- |
| — Van Geert | 5/- | | |


VEITCH'S GOLD MEDAL CALADIUMS

Easily cultivated in an ordinary stove with a night temperature of 60°–70° F. The bulbs should be potted in early spring, in equal parts of peat and loam and some silver sand. Water sparingly till the foliage is developed, keep near the glass and shade only when the sun is very bright, repot once or twice during the summer. In the winter the bulbs should be stowed in a dry place where the temperature does not fall below 70° F.

*The varieties marked with an asterisk * have been raised by Mr. Tomlinson, gardener to Richard Hoffman, Esq., Tower House, Streatham.*

Named varieties, 18/-, 24/-, 30/- and 42/- per doz., according to the variety.

| | | | |
|---|-----|---|-----|
| argyrites , small leaves, green and white, very dwarf | 1/6 | General Kuroki , rose centre, dark veins, cream-white towards the margin, blotched and netted with green | 3/6 |
| Assungay , large transparent leaves, suffused with deep rose-pink | 2/6 | * Golden King , one of the finest yellow-leaved varieties | 5/- |
| Baron Adolphe de Rothschild , large and handsome, dull crimson in colour spotted with pink | 3/6 | Golden Queen , pale golden yellow; quite distinct | 3/6 |
| Baroness Schröder , a very dwarf variety; leaves bronzy gold tinted with rose | 5/- | Guil Mar , cream, suffused with dark salmon | 3/6 |
| B. S. Williams , deep crimson with a green margin | 2/6 | Henry Lovatt , bright rose centre, crimson veins; margins green | 3/6 |
| candidum , white and green; one of the best for general purposes | 2/6 | Her Majesty , bright apple-green, stained with silvery white and carmine | 3/6 |
| Comte de Germiny , leaf medium-sized; bright red mottled with white | 3/6 | Isis , rose-pink with dark carmine veins | 3/6 |
| * Diamond , large leaf, rich green veined with scarlet, centre of leaf blotched and spotted with white | 5/- | John Luther , rose-crimson | 3/6 |
| * Dorothy Peto , pink centre, bright green border, very distinct | 5/- | Lady Mosley , rose-carmine with bright red veins | 3/6 |
| Duchesse de Mortemart , transparent creamy white, green veins | 2/6 | Lady Stafford Northcote , blood-red shaded with crimson | 3/6 |
| Duchess of Fife , white and green, suffused with bright rose-carmine | 2/6 | La Lorraine , fiery red with a pale green margin; dwarf | 5/- |
| Edith Luther , bronzy pink with silvery blotches | 3/6 | Lauretania , large leaf, bright green edge, delicate transparent pink centre, veined, blotched and spotted with deep green; very effective | 5/- |
| Excellent , leaves large with a green ground spotted red and white | 2/6 | Le nain rouge , small round leaves, bright copper-red | 5/- |
| Exquisite , a dwarf variety with bright red-carmine leaves | 3/6 | Leonard Bause , milk-white, the principal veins light carmine | 3/6 |
| Gaspard Crayer , deep crimson centre, green margin; a strong grower | 2/6 | Lillie Burke , pinkish white with bright rose centre | 3/6 |
| | | L'Insolite , green ground, bordered with pale green and spotted with fiery red | 2/6 |



TYPES OF CALADIUMS.

Selected from our Gold Medal Collection of these most gorgeous foliage plants.

CALADIUMS—continued.

| | | | |
|--|------|---|-----|
| Lord Derby , green and rose veins, border green | 2/6 | Prince of Wales , golden yellow leaves | 3/6 |
| Louis A. Van Houtte , self-coloured dark green | 3/6 | Princess Olga , yellowish red with deep rose spots | 3/6 |
| Lymington , beautiful green-veined leaves netted and flaked with white | 3/6 | Princess of Teck , orange - red centre with a wide yellow-green border | 3/6 |
| Madame E. Pynaert , brilliant carmine red, self-coloured | 3/6 | Princess Royal , golden yellow leaves with crimson centre | 3/6 |
| Madame John Box , bright rose veins on a pale pink ground | 2/6 | Reine de Danemark , pale rose with crimson-carmine veins | 2/6 |
| Madame Imbert Koechlin , greenish yellow with large dark red spots | 3/6 | * R. Hoffmann , pale rose centre passing to white; broad irregular margin of emerald-green | 3/6 |
| Madame Schmidt , bright red centre, green border, spotted rose and white | 2/6 | Rio de Janeiro , transparent pink ground, with green margin spotted with pink | 3/6 |
| Major Joicey , large leaves, blotched and stained with carmine | 3/6 | Rising Sun , crimson centre, broad green margin with bright crimson blotches | 3/6 |
| Mauretania , large leaf, red centre, edge splashed with pink | 15/- | Roncador , dark rose ground with green margin, veins blackish and glossy | 3/6 |
| May Archer , light creamy white, bright rose centre | 3/6 | Rose Laing , cream - white, ground suffused with pale blue | 3/6 |
| Minus erubescens , dwarf red, small leaves; a companion to <i>C. argyrites</i> | 1/6 | Silver Cloud , silvery white with small green spots | 2/6 |
| Miss Elsie Hoffmann , deep crimson, darker veins, margin green; fine | 3/6 | Sir Henry Irving , creamy white ground, green margin and rose-pink veins | 3/6 |
| Mrs. A. F. Creswell , red, spotted with rosy pink, resembling <i>Edith Luther</i> | 7/6 | Sir Julian Goldsmid , glowing red mottled with dark red | 3/6 |
| * Mrs. C. Hoffmann , transparent white, deep green veins and margin | 5/- | Sir Oswald Mosley , bright carmine with dark veins, pale green edge | 3/6 |
| Mrs. Harry Veitch , dark-red, self-coloured; a very fine variety | 3/6 | The Mikado , dark carmine centre shaded with maroon | 3/6 |
| Mrs. Icton , sulphur-yellow, with numerous white blotches | 3/6 | * Thomas Tomlinson , deep red centre of quite a new colour, pure white margin; one of the best | 5/- |
| Mrs. McLeod , vermilion - scarlet leaves; a very dwarf variety | 7/6 | Triomphe de Comte , bright red on olive-green ground | 3/6 |
| Noakesii , brownish carmine, distinct | 3/6 | * W. Rappard , margin of leaf deep green, centre of leaf claret veined with dark maroon, remainder of leaf mottled and spotted with pale claret, medium size | 5/- |
| Oriflamme , red with green margin | 3/6 | | |
| Pantia Ralli , bronzy crimson spotted with scarlet and light rose | 3/6 | | |
| President de la Devansaye , a beautiful carmine self | 3/6 | | |



CROTON B. COMTE.

CROTONS

Strong plants in 5-in. pots, 3 6

Young plants in 4-in. pots, 1 6 and 2 6.

Aigburth Gem, leaves narrow and interrupted; crimson

Aigburthiensis, leaves narrow; ivory-white

Andreanus, leaves very large, coloured bright orange-red

Baroness James de Rothschild, broad leaves of a dark crimson colour

B. Comte, a distinct variety with broad leaves of a bright orange colour (see illustration above)

caudatus tortilis, leaves of medium size, twisted, golden yellow (see illustration page 26)


Chelsonii, very narrow twisted leaves, bright red in colour

Countess, bright yellow, narrow leaves

Davisii, a short leaf of medium breadth, green and white

Delight, medium-sized leaf, ivory-white

Distinction, medium width leaves, yellow centre



CROTON CAUDATUS TORTILIS (See page 25)

CROTONS—continued.

- Earl of Derby**, leaves trilobate; centre bright yellow
- Edmontiensis**, medium twisted leaves, bronzy red colour
- elegantissima**, bright yellow narrow leaves; very graceful
- Elysian**, leaves narrow and twisted; lemon-yellow shaded with rose
- Emperor Alexander III.**, leaves broad, ascending; bright red
- Etna**, small leaves of a fiery red colour; plant of bushy habit
- Eugenie Chantrier**, leaves broad, red
- Evansianus**, brilliant red, trilobate leaves
- Flambeau**, narrow brilliant red leaves
- Flamingo**, leaves of medium width, bright crimson centre
- Florence**, narrow yellow leaves
- Golden Bracelet**, an improved form of Golden Ring
- Golden Chain**, narrow leaves, bright red
- Golden Gem**, medium leaves, bright golden yellow, very graceful
- Golden Ring**, narrow, golden yellow, twisted
- Hawkeri**, leaves of medium width, pale yellow centre bordered with green
- H. B. May**, narrow twisted leaves, lemon-yellow
- Her Majesty**, leaves narrow, ivory-white
- His Majesty**, medium leaves, dark bronzy red; fine decorative variety
- inimitabilis**, crimson leaves of medium breadth
- Invicta**, broad leaves, lemon colour, very distinct
- Johannis**, long narrow leaves, golden yellow
- Lady Zetland**, orange-red, narrow and compact
- Laingii**, narrow twisted leaves; stems and footstalks red and yellow
- Lucy**, narrow twisted leaves, olive-green ground blotched with crimson
- Magnificent**, leaves of medium size, olive-green, blotched in the centre with crimson
- majesticus**, leaves narrow, dark red in colour
- Minerva**, very narrow, twisted, bright yellow
- Montefontaineensis**, compact, trilobed, yellow and crimson leaves
- Mrs. Dorman**, narrow, yellow and crimson
- Mrs. Icton**, broad bright rose leaves with an olive-green border
- Mrs. Luther**, narrow red leaves, charming habit; beautiful for table decoration
- Mrs. McLeod**, leaves narrow and compact, bright yellow
- musaicus**, medium-sized leaves of a bright crimson colour
- Newmannii**, leaves broad and short, dark crimson
- Nestor**, leaves of medium width spotted and blotched red and yellow
- nobilis**, narrow, variegated orange and red
- Norman McLeod**, narrow, red; useful for table decoration
- Prince of Wales**, leaves bright orange, twisted and of medium width
- Princess of Wales**, leaves long and narrow, of a creamy white colour
- Queen Victoria**, orange-yellow, of medium width
- Reidii**, leaves large, creamy pink and dark rose in colour
- Rodeckianus**, leaves red, narrow and twisted
- ruberrimus**, leaves narrow and of the deepest crimson; the plant is sturdy and bushy
- Sinitzianus**, narrow interrupted leaves, variegated green and yellow
- Souvenir de Thomas Rochford**, narrow graceful foliage, very bright red
- Sunshine**, leaves of medium width, red and orange; the plant is a dwarf grower
- superbus**, leaves narrow and recurving, mottled green and yellow
- Thomsonii**, leaves trilobed; centre yellow bordered with green
- undulatus**, leaves of medium width, olive-green spotted and mottled with crimson
- Warrenii**, leaves long, narrow and twisted, spotted with yellow and red
- Weismanii**, narrow leaves variegated green and yellow
- Williamsii**, leaves of medium width, compact, and of a fiery red colour



DRACÆNA BAPTISTII.

DRACÆNAS

Strong plants in 5-in. pots, 3/6.

Young plants in 4-in. pots, 1/6 and 2/6.

Alexander Laing, leaves of medium width, narrow and drooping, of a bright red colour

amabilis, leaves of medium breadth, green and pinkish white

angustata, narrow, bright carmine leaves

angustifolia, leaves narrow, very deep red

Baptistii, long broad leaves, varying in colour from creamy red to orange (see illustration above)

Countess of Hopetoun, very narrow leaves of a bright red colour

De Smettiana, medium leaves, bright rosy cream colour, very distinct

Duchess of York, narrow drooping leaves, varying in colour from pink to pale rose

Edmontoniensis, very long and narrow leaves, rich crimson in colour

elegantissima, dark red very narrow leaves

Exquisite, leaves compact, of medium width, varying in colour from creamy pink to carmine

Godseffiana, a plant of bushy growth, with ovate bright green leaves thickly spotted with creamy yellow

Goldicæna, leathery leaves of a pea-green ground colour, barred and striped dark green

His Majesty, leaves vivid crimson; an improved form of Cooperi

Jamesii, leaves compact and narrow, of a reddish crimson colour (see illustration page 29)

John Luther, leaves broad, dark green, margined and striped with crimson

DRACÆNAS—continued.**DRACÆNA JAMESII** (See page 28).

Lady Mosley, narrow, compact, drooping leaves, of a bright rosy pink colour

Lord Roberts, erect dark red leaves, of medium width

Lord Wolseley, leaves brilliant red, long and of medium width; the plant is a free grower

Mayii, a very dwarf and compact variety with bright crimson leaves which colour well in a small state

Miss Glendenning, leaves narrow and graceful, bright red

Norwoodienseis, leaves of medium width, variegated with creamy yellow and orange-red

pendula, an improved form of Cooperi, of much freer growth than that variety

Pere Charon, medium leaves, deep red; one of the best

Prince Manouk Bey, leaves of medium breadth, erect, and of a deep red colour

Sanderiana, a very distinct variety with narrow bright green leaves striped and margined white

The Queen, leaves very narrow and of graceful contour, deep green in colour margined with bright carmine

Victoria, broad leaves, striped with a little green on golden ground.

For Greenhouse Dracænas see pages 52 and 53.

VEITCH'S GOLD MEDAL GLOXINIAS

Our Gold Medal collection of self-coloured and spotted varieties of these lovely decorative plants are selected from the finest erect-flowering varieties, including pure white, purple, rich red, rose-pink, and deep velvety crimson, others spotted with delicate shades of different hues.

Named sorts (our selection) 18/-, 24/- and 30/- per doz.


Unnamed seedlings, 12/- per doz.

See illustration page 30.

VEITCH'S NEW GIANT GLOXINIAS

A grand strain remarkable for their immense flowers of beautiful form and the richest colours. A great advance both in size and distinctness of colour.

36 each.



VEITCH'S GLOXINIAS (See page 29).

IXORAS

Very handsome stove flowering plants, usually of compact bushy habit, with beautiful trusses of flowers in varying shades of colour.

3/6 each.

acuminata, flowers large, pure white and fragrant

amabilis, pinkish white suffused with orange

aurantiaca, orange-red, fine compact habit

coccinea lutea, yellow

coccinea superba, bright orange

crocata, orange

Dixiana, a handsome form, of good constitution; flowers orange, produced in large corymbs

Duffii (*macrothyrsa*), leaves 10 in. in length, of a beautiful deep green; flowers deep red tinged with crimson when mature

Fraseri, vigorous and most effective, salmon colour tinged with carmine

odorata, flowers pure white, deliciously fragrant, borne in large much-divided panicles

Prince of Orange, very bright orange

Pilgrimii, flowers bright orange-scarlet shaded with crimson, produced in perfectly round corymbs 7 in. in diameter

salicifolia, narrow dark green leaves and deep orange-coloured flowers

sanguinea, a distinct variety, with numerous crimson flowers shaded with deep violet

Westii, flowers pale rose, becoming bright rose with age.

Williamsii, a free-growing and profuse-flowering form, with reddish-salmon-coloured flowers.



MARANTA INSIGNIS.

MARANTAS

Beautiful foliage plants, with very handsome leaves. 36 each.

- argentea**, large oblong silvery grey leaves, marked with narrow lines of green
- hieroglyphica**, dark velvety green with irregular streaks of silvery white; under surface purple
- illustris**, leaves bright pea-green streaked with deeper green and blotched with white
- illustris roseo-picta**, leaves like those of the type, but marked with rose
- insignis**, leaves 15 in. long and 2 in. wide at mid-length; green with olive-green margins and blotches; under surface purple (see illustration above).
- Kerchoveana**, leaves cordate, greyish green, with rich chocolate blotches on either side of the midrib
- leopardina**, ground colour yellowish green with irregular blotches of deep green
- Lindenii**, deep green with blotches of yellowish green on either side of the midrib; purplish on the under surface
- major**, plant 2 to 3½ ft. high; leaves 4 to 9 in. long, of different shades of green; a useful decorative plant
- Makoyana**, margins pale green, centre deep green blotched with whitish reticulations
- Massangeana**, leaves with olive-green margins, greyish green in the centre, ornamented with blotches of purplish maroon, and by regularly disposed whitish side veins
- orbifolia**, strong grower, olive green with broad silvery bands
- Porteana**, an erect-growing species, leaves bright green on the upper side, striped with bars of white; the under surface is purple
- regalis**, dark olive-green, with pink stripes
- Sanderiana**, leaves dark olive-green with pinkish white lines from midrib to margin; the under surface is a rich dark purple
- splendida**, leaves 10 to 18 in. long, dark olive-green with blotches of yellowish green



MARANTA VEITCHII.

MARANTAS—continued.

Veitchii, leaves over 1 ft. long and 6 in. or more broad, rich glossy green marked on either side of the midrib with blotches of yellowish green, purplish on the under surface (see illustration above)

Warscewiczii, large leaves, deep velvety green with stripe of yellowish green on either side of midrib, purplish underneath

zebrina, light velvety green barred with purplish green on the upper surface; dull purplish green on the under surface.

VEITCH'S GOLD MEDAL NEPENTHES (PITCHER PLANTS)

The *Nepenthes* require a temperature of 60°–70° F., with abundance of water. Very ornamental plants for growing in baskets.

Amesiana (*N. Rafflesiana* × *N. Hookeriana*), pitchers green prettily marked with red 10/6

Balfouriana (*N. Mastersiana* × *N. mixta*), the pitchers sub-cylindric are from 7 to 9 in. long, yellowish green marked with numerous dark crimson spots and streaks; the wings are prominent and conspicuously ciliated; the rim lobed, at first yellowish, changing with age to dark red-crimson 21/-


Burkei, cylindrical green pitchers spotted with red; mouth dark red 21/-

Burkei excellens, has much larger, richly coloured cylindrical pitchers, the rim is broader, rich chestnut-red; the spots on the pitchers larger and more numerous; the lid prettily spotted 21/-

Chelsonii (*N. Dominiana* × *N. Hookeriana*), pitchers flask-shaped with ciliated wings 10/6

- Chelsonii excellens** (*N. Rafflesiana* × *N. Chelsonii*), the pitchers, fully 6 in. deep and 3 in. in diameter, are profusely spotted and blotched with crimson-purple; the wings similarly coloured and fringed; the rim is broad, richly coloured (see illustration below) 21/-
- Curtisii**, a Bornean species with pitchers 8 in. long, dull green spotted purple 10/6
- Curtisii superba**, a striking improvement on the original *Curtisii*, the ground colour a rich blood-red with longitudinal yellow-green streaks and markings; the rim dark red, the lid much freckled with red on a yellow ground 10/6
- cylindrica** (*N. Veitchii* × *N. hirsuta glabrescens*), pitchers cylindrical, pale green with crimson spots and markings 7/6
- Dicksoniana** (*N. Rafflesiana* × *N. Veitchii*), the pitchers, 10 to 11 in. long, sub-cylindric and slightly compressed, are of a light fulvous green densely speckled and spotted with bright red-crimson; the rim is broad and reflexed at the sides, crimson broken 10/6
- Dr. John MacFarlane** (*N. sanguinea* × *N. Curtisii*), the pitchers 7 to 8 in. long are similar in shape to *N. Curtisii*, brownish crimson splashed with dark red, very handsome rim, interior bright green with purple markings, very large broad leaves. Awarded a First Class Certificate by the Royal Horticultural Society 63/-
- F. W. Moore** (*N. mixta* × *N. Dicksoniana*), pitchers rounded and globular, 5 to 6 in. in length, green, rim moderately broad, red-brown, waved 21/-
- hirsuta glabrescens**, a Bornean species. Pitchers green with a greenish yellow finely ribbed rim 7/6
- Hookeriana**, a native of Sarawak. Pitchers sub-globose, spotted with red, and furnished with two broad lacinated wings 10/6
- Hookeriana elongata**, pitchers more elongated than those of the type 10/6
- intermedia** (*N. Rafflesiana* × a Bornean species), flask-shaped pitchers with prominent wings and reddish brown spots 7/6

- Mastersiana** (*N. sanguinea* × *N. distillatoria*), the pitchers are as richly coloured as those of *sanguinea*, with the characteristic blotches of *N. distillatoria*. In form cylindrical, they attain a length of 8 to 10 in. and a breadth of 2 to 2½ in. (see illustration page 34) 7/6
- mixta** (*N. Curtisii* × *N. Northiana*), the pitchers 8 in. in length with a fringed wing, are pale yellowish green blotched with red; the fine ribs which surround the mouth are of a deep crimson colour 10/6
- mixta sanguinea**, this fine variety differs from the type in having the pitchers coloured reddish brown enriched with large chocolate blotches and splashes 10/6
- Morgania** (*N. Hookeriana* × *N. phyllamphora*), pitchers 6 to 8 in. long, blood-red in the adult stage 7/6
- Northiana**, the adult pitchers are 12 to 16 in. in length, and 3½ to 5 in. in breadth, membranous, crimson spotted, elongate-cylindric, and with two dentate-fimbriate wings. The shape varies; the upper pitchers are trumpet-shaped, those which rest on the ground larger and more distended 42/-



NEPENTHES CHELSONII EXCELLENS.

NEPENTHES—continued.



NEPENTHES MASTERSIANA (See page 33.)

Rafflesiana, a handsome Bornean species with greenish yellow pitchers richly marked with brown

10/6

rufescens (*N. Courtii* × *N. distillatoria*), cylindrical pitchers; green flushed with red

7/6

Sir W. T. Thiselton-Dyer (*N. mixta* × *N. Dicksoniana*), pitchers very large, richly blotched with brownish crimson on a green ground; rim waved and finely ribbed

21/-

Tiveyii (*N. Veitchii* × *N. Curtisii superba*), the large pitchers are like those of *Veitchii* but more cylindrical, the ground colour light green, spotted and marked with crimson. The wings conspicuously fringed, the rim broad, of a rich mahogany-red with an occasional transverse bar of a darker shade

21/-

Veitchii, a very distinct species with leathery leaves covered on the under side with short reddish hair. The pitchers, often from 9 to 12 in. long with a diameter of from 3 to 4 in., are cylindrical and have narrow fringed wings; in colour a rich green with a brownish tinge, covered with minute woolly hairs

ventricosa, a native of the Philippine Islands. The pitchers devoid of wings, pale with a rosy suffusion towards the base; the lip yellowish green, inclined towards the mouth. About 5 in. long, they are curiously contracted at the middle, with a truncate mouth 1 to 1½ in. across, is surrounded by an undulating rim, bright crimson in the young pitchers, deepening to purplish crimson in the old

21/-

Wrigleyana (*N. phyllamphora* × *N. Hookeriana*), flask-shaped pale green pitchers with crimson spots

7/6

GENERAL COLLECTION OF STOVE PLANTS.

Requiring winter temperature 60°–65° F.

† Ornamental Foliage. * Climbers.

Acalypha

- Sanderiana*, long tassels of bright crimson flowers 2/6
 † *Macafeeana*, red and bronzy-crimson leaves 2/6
 † *musaica*, leaves bronzy-green, variegated with orange 2/6

Achimenes

- Very free-flowering, many beautiful shades of colour, good for baskets
 per doz., 12/- and 18/-

Æschynanthus

- grandiflorus*, large crimson and orange flowers 3/6
Lobbianus, drooping plant for hanging basket, scarlet blossoms 3/6
pulcher, bright scarlet flowers 3/6
speciosus, rich orange-red flowers in terminal bunches 3/6

* Allamanda

- Hendersonii*, large yellow flowers, the finest variety 3/6
neriifolia, yellow, bell shape 3/6
nobilis, pale yellow 3/6
Schottii, yellow, throat striped with brown 3/6
Williamsii, bright yellow, medium size 3/6

Alpinia

- † *Sanderiana*, handsome green and white foliage 3/6

Amasonia

- punicea* (*calycina*), conspicuous crimson bracts 3/6

Ananassa

- † *sativa variegata*, a variegated form of the Pine Apple 5/-

Aphelandra

- aurantiaca* *Roezlii*, very bright scarlet flowers 3/6

Aralia

- Chabrieri*
elegantissima
filicifolia
Kerchoveana
leptophylla
reticulata
triloba
Veitchii
gracillima
- Very good plants for decoration, especially *elegantissima* and *Veitchii* and *gracillima* (see illustration page 36) 3/6

Ardisia

- crenulata*, bright red berries 2/6
alba, white berries 2/6

* Aristolochia (The Dutchman's Pipe).

- elegans*, rich maroon-purple marked with white lines, free flowering 3/6
Goldieana, deep yellow, chocolate veins, deciduous 3/6
ornithocephala, yellow and brown 3/6
Sturtevantii, very large blooms, cream-white with brown markings 3/6

† Asparagus

- myriocladus*, long erect feathery fronds 3/6
plumosus nanus, a dwarf form 2/6
scandens, climbing variety 2/6
Sprengeri, suitable for hanging baskets, bright green (see illustration page 37) 1/6
tenuissimus, light green, delicate appearance 2/6

Ataccia


- cristata* (Cat's Head), violet-purple flowers 5/-

* Bignonia

- capreolata*, orange-coloured flowers 3/6
Chamberlaynii, long racemes of yellow flowers 3/6
litoralis, red 3/6
magnifica, mauve to purplish-crimson 3/6

* Bougainvillea

- glabra*, rosy bracts 3/6



ARALIA ELEGANTISSIMA.

Most useful for the table or exhibition. (See page 35.)

* **Bougainvillea**

- glabra* Cypheri, deep rose, free grower profuse, bloomer 3/6
lateritia, brick-red bracts 3/6
Sanderiana, mauve bracts, free flowering 3/6
Maud Chettleburgh, rich rose-purple bracts 3/6
spectabilis, dull brick-red, shaded scarlet 3/6

Burchellia

- capensis*, bushy habit, scarlet flowers 3/6

Centropogon

- Lucyanus*, rosy - carmine tubular flowers in winter 3/6

Ceropegia

- * *Woodii*, pale violet flowers 2/6

Cissus

- † * *discolor*, free-growing climber, purplish leaves marked with white and shaded pink; young foliage very beautiful 3/6

Clerodendron

- * *Balfouri* (*Thomsonae*), deep red flowers, pure white calyces; a very free-flowering climber 3/6
fallax, panicles of bright scarlet blossoms 3/6
 * *splendens*, rich crimson 3/6

Coffea

- arabica*, evergreen, white sweet-scented flowers 3/6

* **Combretum**

- purpureum*, a beautiful evergreen climber, racemes of purplish - crimson flowers 5/-

Conoclinium

- ianthinum*, large purple flower heads 3/6


Crossandra

- undulæfolia*, salmon-red flowers in racemes, shining green foliage 3/6

† **Ornamental Foliage.**

* **Climbers.**

| | | | |
|--|-----|---|-----|
| Curculigo | | † Cyrtodeira (Episcia) | |
| recurvata, ornamental dark green foliage | 2 6 | chontalensis, flowers lilac. leaves light green above deep purple below | 3/6 |
| variegata, bright green striped clear white | 5/- | fulgida, bright red, leaves dark emerald-green | 3 6 |
| Cyanophyllum | | metallica, orange-scarlet, foliage of a metallic lustre | 3 6 |
| † magnificum, large velvety leaves, olive-green on upper side, reddish-purple underneath | 3 6 | Debregeasia | |
| † Cyperus | | velutina, handsome velvety foliage | 3 6 |
| alternifolius, long narrow green leaves, much used for decoration | 1 6 | † Dichorisandra | |
| fol. variegatus, a variegated form of the above | 3 6 | Regina, pretty variegated leaves | 3 6 |
| | | † Dieffenbachia | |
| | | Bausei, yellowish-green irregularly blotched with dark green, spotted white | 3/6 |



ASPARGUS SPRENGERI.

A most charming plant for baskets and for cutting. (See page 35.)



FRANCISCEA CALYCINA FLORIBUNDA.

A charming stove plant with mauve flowers.
Nearly always in bloom (See page 39.)

† **Dieffenbachia**

| | |
|---|-----|
| <i>Fournieri</i> , dark green, blotched white | 3/6 |
| <i>Jenmanii</i> , dark green, broad white markings | 3/6 |
| <i>Leonæ</i> , dark green marked white and pale green | 3/6 |
| <i>picta</i> , green, spotted white | 3/6 |
| <i>Rex</i> , deep green, thickly blotched with white markings | 3/6 |
| <i>Shuttleworthii</i> , green, white band along midrib | 3/6 |

* **Dipladenia**

| | |
|--|-----|
| <i>amabilis</i> (<i>profusa</i>), purplish-crimson | 3/6 |
| <i>amœna</i> , pink suffused with rose | 3/6 |

* **Dipladenia**

| | |
|--|-----|
| <i>boliviensis</i> , white, throat golden yellow, free-flowering | 3/6 |
| <i>Brearilyana</i> , large rich crimson flowers | 3/6 |
| <i>hybrida</i> , bright crimson-red | 3/6 |
| <i>insignis</i> , rosy purple | 3/6 |

Eranthemum

| | |
|---------------------------------------|-----|
| <i>pulchellum</i> , rich blue flowers | 3/6 |
|---------------------------------------|-----|

Eriocnema

| | |
|---|-----|
| † <i>maculatum</i> , bronze-green, silver-green marking | 3/6 |
| † <i>marmoratum</i> , beautiful variegated foliage, dark green and silver | 3/6 |

† **Ornamental Foliage.**

* **Climbers.**

Eriocnema

- + **Martin Cahuzac**, finely variegated 5/-
- + **Sanderæ**, green and silvery white 3/6

Eucharis

- amazonica** (*grandiflora*), pure white flowers; the well-known Eucharis Lily 2/6

Euphorbia

- jacquiniæflora**, long wreaths of orange-scarlet bracts, winter-flowering 3/6

Exacum

- macranthum**, rich Gentian-blue flowers, yellow anthers; a beautiful flower 3/6

Ficus

- + **elastica albo-variegata**, variegated foliage, a good house plant 3/6
- + **Parcellii**, dark green and ivory-white (see illustration below) 3/6

Fittonia

- + **argyroneura**, green, white reticulation 2/6
- + **Pearcei**, dark green, bright red veins 2/6

Franciscea (*Brunfelsia*)

- calycina floribunda** (see illustration page 38) 3/6
- confertiflora**, soft blue 3/6

Garcinia

- Mangostana** (*The Mangosteen*) 21/- and 42/-

Gardenia

- citriodora** 3/6
- florida** (see illustration page 40) } very hand- some plants, with fragrant white flowers } 2/6
- „ **Fortuneana** } and glossy green foliage } 3/6
- radicans** } 3/6

Gloneria

- jasminiflora** (see illustration page 41) 3/6

* **Gloriosa**

- Plantii**, reddish-yellow 3/6
- Rothschildiana**, richly coloured, red and yellow 5/-
- (see illustration page 42)
- superba**, orange and red 3/6

+ **Heliconia**

- aureo-striata**, green, yellow network 3/6
- illustris rubricaulis**, bright red stems and leaves 3/6



FICUS PARCELLII.



GARDENIA FLORIDA.

So well known for its delicious fragrance. Easily grown. (See page 39.)

* **Hexacentris**

- lutea*, yellow 3/6
mysorensis, yellow and purple, a very fine climber 3/6

Hibiscus

- Rosea sinensis* *brilliantissimus*, brilliant deep crimson 3/6
Calleri, buff-yellow, crimson-scarlet base 3/6
Cooperi, green and white variegated foliage 3/6

Hibiscus

- Cooperi* *variegata*, brilliant red foliage 3/6
flore plenus, double rose flowers 3/6
luteolus plenus, double, pale yellow 3/6
splendens, rose, very large 3/6
Van Houttei, deep crimson 3/6
schizopetalus, brilliant orange-red 3/6

† **Ornamental Foliage.*** **Climbers.**

* **Hoya**

| | |
|---|-----|
| australis, white, tinged pink | 3/6 |
| bella, white, rosy-erimson centre | 3/6 |
| campanulata, greenish-yellow | 3/6 |
| carnosa, pinkish-white | 3/6 |
| † variegata, a form with variegated foliage | 3/6 |
| imperialis, reddish-brown | 3/6 |
| multiflora, straw-yellow | 3/6 |

Hymenocallis

| | |
|---|-----|
| macrostephana, large heads of pure white fragrant flowers | 5/- |
|---|-----|

Inga

| | |
|------------------------------|-----|
| pulcherrima, scarlet flowers | 3/6 |
|------------------------------|-----|

* **Ipomæa**

| | |
|--|-----|
| Horsfalliæ, clusters of rose-erimson flowers | 5/- |
|--|-----|

* **Ipomæa**

| | |
|--|-----|
| Learii, large deep blue trumpet-shaped flowers | 3/6 |
| Thomsonii, white | 3/6 |

Jacobinia

| | |
|---|-----|
| chrysostephana, heads of golden-yellow blooms, winter-flowering | 3/6 |
| coccinea, large scarlet spikes | 3/5 |

* **Jasminum**

| | |
|---|-----|
| gracillimum, white, sweet-scented | 3/6 |
| Maringayii, white, star-shaped, fragrant | 3/6 |
| nitidum, white, fragrant | 3/6 |
| Sambac, white, fragrant, continuous bloomer | 3/6 |
| „ flore pleno, a double variety, continuous bloomer | 3/6 |



GLONERIA JASMINIFLORA

A free-growing handsome stove plant with white flowers. (See page 39.)



GLORIOSA ROTHSCHILDIANA (See page 33.)

Leea

† *amabilis splendens*, handsome foliage, deep bronze-green with white markings above, purple underneath 5/-

Manettia

* *bicolor*, scarlet and yellow flowers 3/6

Medinilla

magnifica (see illustration page 43) 3/6

Musa

† *Cavendishii*, large deep green leaves, a fine form of the Banana 7/6

Mussænda

frondosa, large white bracts 3/6

Nægelia

In variety, orange, orange-scarlet, and other shades; winter-flowering 2/6

Nephtytis

† *picturata*, bright green foliage, white markings 3/6

† Nidularium

Meyendorffii, dark green leaves, red centre 3/6

*** Oxera**

pulchella, a strong climber, panicles of white flowers in winter 3/6

† Panax

multifidum *Victoriæ*, handsome variegated foliage 3/6

Pancratium

fragrans, large white, fragrant flowers 3/6

† Pandanus

Veitchii (see illustration p. 44), 1/6 to 7/6

Panicum

† *variegatum*, foliage striped white and pink, used for baskets, etc. 1/6

*** Passiflora**

alata, fleshy-pink and purple flowers, sweet scented 3/6

Decaisneana, brilliant carmine and purple 3/6

† **Ornamental Foliage.**

* **Climbers.**



MEDINILLA MAGNIFICA.

The remarkable trusses of flower are pink in colour and last long in bloom

(See page 42.)

*** Passiflora**

- edulis*, white, tinged with purple;
edible fruit 3/6
- princeps* (*racemosa*), racemes of deep
red flowers 3/6
- quadrangularis*, red, white and
purple 3/6

Paullinia

- † ** thalictrifolia*, a graceful pillar plant
with fern like foliage 3/6
- † **Pellionia**
Daveauiana, olive-green, tinted violet,
marked with bright green 2/6
- pulchra*, deep green, blotched pale
green 2/6

| | | |
|--|--|-----|
| Petrea | | |
| *volubilis, drooping racemes of purple blossoms | | 3/6 |
| *† Philodendron | | |
| Andreanum, dark velvety green leaves | | 3/6 |
| Lindenii, satiny-green | | 3/6 |
| Phrynium | | |
| †variegatum, handsome green and white foliage | | 2/6 |
| † Phyllanthus | | |
| nivosus, green foliage, mottled with white | | 3/6 |
| roseo-pictus, rose-tinted foliage | | 3/6 |
| Phyllotænium | | |
| †Lindenii, bright green, silvery bands along midrib | | 3/6 |
| Pilea (The Artillery Plant) | | |
| muscosa (<i>microphylla</i>), green fern-like foliage | | 1/6 |
| Piper | | |
| porphyrophyllum, bronzy-green, marked pink, under surface purple | | 3/6 |
| Plumbago | | |
| rosea, erect panicles of rose-red flowers; winter-flowering | | 3/6 |
| coccinea superba, deep rose; winter-flowering | | 3/6 |
| Poinsettia | | |
| pulcherrima, rich scarlet bracts; winter-flowering | | 1/6 |
| alba, pure white; winter-flowering | | 2/6 |
| Posoqueria | | |
| longiflora, clusters of tubular white flowers | | 3/6 |



PANDANUS VEITCHII.

One of the finest of all table plants. Foliage green and white. (See page 42.)



SANCHEZIA NOBILIS VARIEGATA.

Pothos

† celatocaulis, a plant for covering walls, rich dark green leaves 3/6

Reidia (Phyllanthus)

glaucescens, glossy green foliage; a pretty table plant 3/6

Rivina

humilis, deep green leaves, red berries 1/6

Rogiera

cordata, pink Verbena-like flowers 3/6

Rondeletia

speciosa major, bright vermilion 3/6

Ruellia

macrantha, rosy purple flowers 3/6

Russelia

Lemoinei grandiflora, a pillar or trellis plant, rosy-red flowers 3/6

Sanchezia

† nobilis variegata, bright green leaves, striped yellow (see illustration above) 3/6

* **Schubertia**

grandiflora, large white fragrant flowers, resembles a Stephanotis, but the perfume is like that of a Cocoa-nut 5/-

Scutellaria

Mocciniana, bright scarlet flowers 3/6

Sericographis

Ghiesbreghtiana, panicles of scarlet flowers in winter 3/6

* **Solanum**

Seafortianum, a climber producing panicles of lilac flowers 3/6

† **Sonerila**

In variety, leaves spotted with silvery-white 5/-

† **Ornamental Foliage.*** **Climbers.**

STOVE PLANTS—continued.

| | | | |
|---|-----|--|-----|
| Sphærogyne | | Tillandsia | |
| † <i>latifolia</i> , deep green velvety leaves, red underneath | 3/6 | <i>Lindenii</i> , very bright blue flowers in winter | 3/6 |
| Stephanotis | | <i>splendens</i> (<i>zebrina</i>), banded, striking crimson spikes of flowers | 3/6 |
| * <i>floribunda</i> "Elvaston" variety, the well-known climber with fragrant white blossoms | 3/6 | major, a stronger variety | 3/6 |
| Stigmaphyllon | | <i>Zahnii</i> , red-tinted foliage | 3/6 |
| * <i>ciliatum</i> , large yellow flowers | 3/6 | Torenia | |
| Strelitzia | | <i>asiatica</i> , blue and dark violet | 1/6 |
| <i>Reginæ</i> , large leaves, yellow and blue flowers, very striking | 5/- | Toxicophlæa | |
| Strobilanthes | | <i>spectabilis</i> , large sprays of white fragrant flowers in spring | 3/6 |
| † <i>Dyerianus</i> , leaves rich pinkish-blue | 2/6 | † Tradescantia | |
| * Thunbergia | | <i>White Queen</i> , a white form suitable for hanging baskets | 1/6 |
| <i>fragrans</i> , pure white, fragrant | 3/6 | <i>zebrina</i> , variegated white and green, suitable for hanging baskets | 1/6 |
| <i>grandiflora</i> , large blue flowers | 3/6 | Tydæas | |
| <i>laurifolia</i> (<i>Harrisii</i>), blue | 3/6 | In variety, handsome foliage and spotted flowers, per doz., 12/- and 18/- | |
| Thyrsacanthus | | Vanilla | |
| <i>rutilans</i> , drooping panicles of bright crimson flowers in winter | 3/6 | <i>aromatica</i> , scented yellow flowers | 3/6 |
| Tillandsia | | Zingiber | |
| <i>hieroglyphica</i> , a handsome foliage plant | 3/6 | <i>officinalis</i> , the Ginger Plant | 2/6 |

THE BEST WINTER-FLOWERING
STOVE PLANTS.

| | | |
|------------------------------|---------------------------------|---|
| <i>Acalypha hispida</i> | <i>Eranthemum pulchellum</i> | <i>Plumbago rosea</i> and <i>coccinea</i> |
| <i>Amaryllis</i> | <i>Eucharis amazonica</i> | <i>Poinsettias</i> |
| <i>Amasonia punicea</i> | <i>Euphorbia jacquiniæflora</i> | <i>Rondeletia speciosa major</i> |
| <i>Aphelandra aurantiaca</i> | <i>Francisceas</i> | <i>Ruellia macrantha</i> |
| | <i>Roetzlii</i> | <i>Scutellaria Mocciniana</i> |
| <i>Begonias</i> | <i>Gardenias</i> | <i>Stephanotis floribunda</i> |
| <i>Burchellia capensis</i> | <i>Jasminums</i> | <i>Thyrsacanthus rutilans</i> |
| <i>Centropogon Lucianus</i> | <i>Mussænda frondosa</i> | <i>Toxicophlæa spectabilis</i> |
| <i>Conoclinium ianthinum</i> | <i>Pancratiums</i> | |


42/- per doz., our selection.

THE BEST STOVE CLIMBERS OR
PILLAR PLANTS.

| | | |
|-------------------------------|----------------------------|----------------------------------|
| <i>Allamandas</i> | <i>Combretum purpureum</i> | <i>Passifloras</i> |
| <i>Aristolochias</i> | <i>Dipladenias</i> | <i>Paullinia thalictrifolia</i> |
| <i>Bignonias</i> | <i>Gloriosas</i> | <i>Rondeletia speciosa major</i> |
| <i>Bougainvilleas</i> | <i>Hexacentris</i> | <i>Schubertia grandiflora</i> |
| <i>Cissus discolor</i> | <i>Hibiscus</i> | <i>Stephanotis floribunda</i> |
| <i>Clerodendron Balfourii</i> | <i>Hoyas</i> | <i>Stigmaphyllon ciliatum</i> |
| — <i>splendens</i> | <i>Ipomæas</i> | <i>Thunbergias</i> |
| | <i>Jasminums</i> | |

42/- per doz., our selection.

GREENHOUSE PLANTS



AZALEA INDICA—A TYPICAL PYRAMID.

These greenhouse Azaleas, single and double, in all shades of red, pink, red and white, pink and white, &c., are quite indispensable for decoration from December to May.

AZALEA INDICA

Good healthy young plants, 24/-, 30/- and 42/- per doz.

Pyramids, Standards and Half-Standards, as illustrated, 7/6 and upwards, of the finest varieties (particulars on application).

Special quotations for extra-sized plants.

Please state when ordering if plants are required for early flowering.


A. Borsig, pure white, double ; early

Apollo, double scarlet

Bernhard Andreas, bright rose ; double

Bernhard Andreas alba, double snow-white flowers

Camelliæflora plena, fine double red



STANDARD AZALEA. (See page 47.)

J. T. D. Llewellyn, rose with red markings and white border, centre deep carmine

Madame Herman Seidel, large double white

Madame Joseph Vervaene, rose bordered with pure white, carmine blotch and cherry-red stripes; double

Madame Petrick, very fine double rose

Madame van den Cruyssen, double, bright rose with a deeper blotch in the centre

Mdlle. Marie Rosseel, flesh-coloured; a beautiful variety

Memoire de Louis Van Houtte, large fine deep rose

Niobe, ivory-white with yellow tube; double

Obeist Van Kutzinski, brilliant scarlet, fine flower

Pauline Mardner, beautiful flesh-pink; flowers double, very free

Perfection de Gand, single, purple with a metallic hue, and dark blotch

Perle de Ledeborg, double white striated with red

Pharailde Mathilde, double white, striped

President Oswald de Kerchove, tender pink blotched with carmine, white fimbriated margin; double

Professor Wolters, rose with a white border and deeper-coloured centre, single: early

Roi de Hollande, dark blood-red with a deeper blotch

Schryveriana, double rose with white lines and border

Simon Mardner, intense rose; double

Souvenir de Captain van der Velt, dark red; double

Souvenir de François Vervaene, white; very large flower

Souvenir du Prince Albert, double salmon-red with white border; late

Spitfire, very fine double crimson

Vervaeneana, rose with white markings, and broad white border

Vervaeneana alba, very fine double white

Vuylstekeana, brilliant crimson, single; very free-flowering.

Comtesse Eugenie de Kerchove, semi-double, white striped and spotted with cherry-red

Dame Malanie, rose bordered with white, centre amaranth

Deutsche Perle, double white; the very best for Christmas forcing

Dr. Moore, deep rose; very double

Edmond Vervaene, double, claret-red; good for early forcing

Empereur du Bresil, tender rose with broad white border; double

Haerensiana, large, double rose-coloured flower with a white border

Helene Thelman, peach-blossom colour; double

Hermosa, bright rose; good for forcing

Hexe, very dwarf and compact, brilliant crimson - carmine, semi-double; free-flowering (see illustration p. 49). 1/6 each



AZALEA HEXE
with *Selaginella denticulata* covering pot. (See page 48.)

BEGONIAS (TUBEROUS)

A fine collection of seedlings for bedding or Greenhouse, of dwarf habit and very free-flowering.

| | Dry Tubers from Nov. to March. | | Plants in Pots ready in May. |
|--|-----------------------------------|----------|---------------------------------|
| | Per doz. | Per 100. | Per doz. |
| Single Begonias, mixed | 3/- | 21/- | 6/- and 9/- |
| " " scarlet, pink, yellow, white, crimson | 4/- | 25/- | 6/- .. 9/- |
| " " specially selected | 9/- | 70/- | 12/- |
| Begonia Worthiana, rich orange-scarlet, single | 5/- | 36/- | 5/- |
| Double Begonias, mixed | 3/6 | 25/- | 9/- .. 12/- |
| " " scarlet, pink, yellow, white and crimson | 5/- | 35/- | 9/- .. 12/- |
| " " specially selected | 12/- and 18/- | | 18/- .. 24/- |
| Begonia Lafayette, rich crimson-scarlet, double | 7/6 | 40/- | 9/- |
| " Major Hope, double rose | 12/- | 90/- | 18/- |
| " Washington, double bright scarlet | 12/- | 90/- | 18/- |

BOUVARDIAS

Most useful for furnishing a continual supply of flowers from September to January, easy culture.

18/- to 30/- per doz., our selection.

Alfred Neuner, pure white double flowers
Bridal Wreath, white
Bridesmaid, double pink flowers, brighter than *President Garfield*
candidissima, white, an improvement on *jasminioides*, more compact
Dazzler, rich scarlet
elegans, scarlet, fine truss
Hogarh, scarlet, fine truss
Hogarh flore pleno, double scarlet
Humboldtii corymbiflora, white
jasminiflora alba odorata, white faintly tinted with pale pink
jasminiflora paniculata, white
jasminioides, white, free grower
King of the Scarlets, scarlet; very large

Mrs. Robert Green, delicate light pink, a sport from *President Cleveland*
President Cleveland, vivid scarlet with crimson tube, very floriferous; one of the best
President Garfield, pink double flowers
Priory Beauty, delicate white rose
Sang Lorraine, vermilion-scarlet, double
The Bride, white tinted with blush; one of the best for bouquets
Thomas Meehan, bright scarlet with pale rose-scarlet tube, floriferous and double
Triomphe de Nancy, bright orange-red, double
Victor Lemoine, fiery scarlet, double
Vreelandii, pure white, very free-flowering
Vulcan, brilliant scarlet.

CAMELLIAS

Beautiful evergreen flowering shrubs for pots or planting out in cool conservatories. May be planted outside in warm sheltered situations.

Good healthy plants, 42/-, 60/- and 90/- per doz., unless otherwise priced.

alba plena, the old double white variety
Belle Judita, white
Chandleri elegans, light rose, often mottled with white
Contessa Lavinia Maggi, pure white with broad bands of carmine
De la Reine, very large petals, white suffused with lake
Donkelaarrii, semi-double; rich crimson marbled with white
Duchesse de Cazes, pæony-flowered, flesh colour pink, white edge
General Lamoriciere, flesh-coloured ground, tinged with pink
Glorie de Nantes, very large semi-double flower with long yellow stamens
Henri Favre, cherry-pink
Lady Hulme's Blush, blush-white

Margarita Caleonie, very large, crimson
Mathotiana, rich sanguineous red, large and imbricated
Mathotiana alba, pure white, beautifully imbricated
Mdme. Lebois, bright rosy-carmine
nobilissima, pure white, very fine form
Preston Rose, beautiful rose, pæony-flowered
Princess Bacciochi, crimson
Princess Clothilde, white striped red
Reine des Fleurs, bright red
reticulata, bright rosy-lake. 7/6 each
Sacco Nova, transparent rose
Storyii, bright rose
Valtevedo, bright rose.



CANNA KING HUMBERT. (See page 52.)

CANNAS FOR GREENHOUSE CULTURE

2/6 each or 24/- per doz.


Massive foliage and brilliant flowers, produced continuously for several months.

- Adolf Grimminger**, clear carmine, large green leaves
- A. Ortman**, dark velvety purple, petals recurved, leaves brown
- Baron de Richter**, chestnut and brown, golden border
- Black Prince**, velvety maroon, leaves green edged with purple
- Dr. Budingen**, shining scarlet, long broad petals
- Duke Ernst**, reddish-scarlet, foliage rich metallic tint
- Duke of York**, crimson with creamy throat, gold border
- Elizabeth Hoss**, canary-yellow, spotted red
- Evolution**, rich golden-yellow with blush-pink centre
- Franz von Vecsey**, rosy-carmine, centre tinted yellow
- Frau Daisy Hultzs**, shining dark rose
- Frau E. Kracht**, rosy-salmon
- Frau E. Spenmann**, carmine-rose
- Frau Geheimrat Borsig**, deep rose with straw-yellow centre; dwarf habit
- Furst Weid**, fine crimson
- Gladioflora**, crimson changing to carmine with an uneven gold edge
- Hermann Aldinger**, purple - crimson, dark green leaves
- J. E. Van der Schoot**, dark lemon-yellow, purple spots, large trusses
- J. Lochner**, orange-scarlet, brown leaves
- King Humbert**, bright orange - scarlet streaked with crimson (see illustration page 51)
- Meteore**, orange-scarlet
- Niagara**, red, with heavy gold margin
- Ottawa**, deep rosy-cerise
- Professor Dr. Balz**, fine crimson, yellow tip
- Professor F. Rober**, carmine - purple, large flowers, broad petals
- Rose gigantea**, deep rich rose, extra large flowers
- Rosemawr**, rosy-pink with gold throat
- R. Wallace**, canary-yellow
- Schawbenland**, bright cherry-crimson, fine truss
- Stuttgardia**, glowing scarlet and orange, edged with canary-yellow
- The Gaikwar of Baroda**, dark canary-yellow, scarlet spots; dwarf
- Venus**, rosy-pink with mottled border of creamy yellow
- Wilhelm Tell**, lemon-yellow, orange towards centre
- William Saunders**, bright scarlet, very large flowers, vigorous grower

DRACÆNAS (FOR GREENHOUSE)

Ordinary greenhouse temperature. Useful in summer for vases, terraces, or sub-tropical bedding.

- Bruantii**, dark green leaves, sharply recurved and pointed 2/6
- Bruantii variegata**, a golden variegated form of *Bruantii* 3/6
- congesta**, a form of *Dracena stricta* with broader leaves, more crowded than those of the type 2/6



DRACÆNA INDIVISA DOUCETTII ALBERTII.

- | | | | |
|--|-----|---|-----|
| Eckhautei , the most graceful of all the varieties of <i>Dracana rubra</i> ; leaves 15 to 20 in. long, gracefully arched; very symmetrical (See illustration page 54). | 2/6 | indivisa Doucettii , variegated leaves | 3/6 |
| indivisa , leaves 2 to 3 ft. or more long and 2 in. broad, dark green and pendent | 2/6 | indivisa Doucettii Albertii , white variegation throughout the leaf, rose-coloured margin (See illustration above). | 5/- |
| indivisa atropurpurea , deep reddish-brown foliage | 2/6 | indivisa lineata , leaves broader than those of the type, bases stained with reddish pink | 3/6 |
| | | indivisa Veitchii superba , bright red midrib | 3/6 |

For stove varieties see page 28.



DRACÆNA ECKHAUTEI. (See page 53.)

FUCHSIAS.

12/- to 18/- per doz., our selection

Those marked (*) have double flowers.

- * **Alfred Dumesnil**, clear red tube and sepals, pale violet corolla
- * **Amy Lye**, calyx tube and sepals white shaded with pink, corolla reddish salmon
- * **Aphland**, violet corolla, bright red tube and sepals
- * **Avalanche**, carmine sepals, broad and evenly recurved; dark violet corolla
- * **Ballet Girl**, tube and sepals bright coral-red, corolla white, large and very double (see illustration page 55)
- * **Baron de Ketteler**, very large flowers, plum-purple
- * **Beauty of Exeter**, light rose-pink tube and reflexed sepals, soft mauve corolla; a large bold flower
- * **Brilliant**, sepals rich deep red, well reflexed; corolla violet shaded with red; semi-double
- Charming**, tube and sepals scarlet, corolla purple one of the best
- * **De Comte Leon Tolstoi**, large deep blue corolla
- Dr. Behring**, tube and sepals bright coral-red, corolla light purple; very free
- * **Duchess of Edinburgh**, tube and sepals bright carmine, corolla white; large flower



FUCHSIA BALLET GIRL.

One of the best varieties for all purposes. (See page 54.)

* **Duchess of York**, corolla mauve, long white tubes and sepals

Earl Beaconsfield, tube and sepals rosy-carmine, corolla deep crimson

Flocon de Neige, sepals carmine; corolla white; one of the best

* **Frau Emma Topfer**, tube and sepals coral-red, corolla rosy-blush

- General Grenfell**, tube and sepals coral-red, corolla bishop's blue shaded with carmine
- General Roberts**, tube and sepals rose-carmine, corolla purple shaded with carmine
- Gertrude Pearson**, tube and sepals scarlet, corolla rich purple; flowers large and distinct
- Golden Treasure**, yellow foliage; effective for bedding
- Jubilee Queen**, white wax-like sepals and tube; corolla deep red
- * **La France**, sepals bright red, recurved, corolla beautiful dark blue
- Lustre**, bright red corolla, creamy-white tube and sepals
- * **Madame Jules Chretien**, fine white late-flowering variety
- Masterpiece**, rich blood-red sepals and tube, corolla rosy-purple
- Mrs. H. Roberts**, sepals rose, reflexed, corolla broad dark crimson
- Mrs. Rundle**, tube and sepals pale flesh, corolla salmon-red
- Mrs. Todman**, tube and sepals white tinted pale rose, corolla rose-scarlet
- * **Nautilus**, corolla white veined with rose, tube and sepals soft carmine; very fine shape
- Olympia**, calyx salmon-pink, corolla carmine-scarlet; extra large flower
- * **Phenomenal**, scarlet tube and sepals, dark purple corolla; one of the largest Fuchsias in cultivation
- * **Phenomenal rose**, a similar variety with rose-pink corolla
- * **Phenomenal white**, with white corolla
- * **President Felix Faure**, corolla violet with red marking, red sepals recurved; very large
- Prince of Orange**, tube and sepals orange tipped with yellow, corolla shaded with vermilion
- * **Professor Riventgen**, tube and sepals rich scarlet, corolla blue, outer segments striped with red
- * **Raoul d'Allard**, sepals red, corolla purple; large flower
- Rose of Castile** (Improved), very large corolla; strong grower
- Royal Purple**, tube and sepals beautiful crimson-scarlet, corolla deep velvety purple; an immense flower of fine form, one of the best
- * **Sylvia**, scarlet sepals and tube, corolla white
- The Shah**, sepals brilliant scarlet, corolla tubular, violet-blue with carmine veins
- * **Washington**, corolla white shaded with rose-pink, tube and sepals crimson

Fuchsias suitable for pillars or for training to the rafters of a greenhouse

2/6 to 5/-, according to size of plants.

General Grenfell
Clipper

Mrs. Rundle
Mrs. Todman

Olympia
The Shah.

For descriptions see pages 54 to 56.

Standard Fuchsias

2½ to 3 feet stems, 3/6 and 5/-

HYBRID FUCHSIAS

These hybrids from *Fuchsia triphylla* have long graceful hanging flowers.

12/- to 18/- per dozen.

Andenken au H. Henkel, salmon-red

Ooralle, a lovely shade of coral-red

Furst Otto Von Wernigerode, brilliant cerise-red

Gartenmeister Boustedt, deep glowing red

Gottingen, deep salmon-red

Mary, coral-red.

IMANTOPHYLLUM (CLIVIA)

Temperature 45°—55° F. with a moist atmosphere during the growing season and a moderately dry one when the plants are at rest.

Unflowered seedlings raised from our own certificated varieties, 42/-, 63/- and 84/- per doz.

| | | | |
|--|-----|---|------|
| Acquisition , orange-red, compact truss | 5/- | Madame Van Houtte , bright orange-coloured self | 5/- |
| Admiration , large truss; flowers well formed, orange-scarlet with a yellowish white base | 5/- | Olympia , flowers fully 4 in. in diameter, brilliant orange-scarlet with a yellow band at the base | 10/6 |
| Distinction , brilliant orange-scarlet, white at the base | 5/- | Optima , bright orange-scarlet segments with white band; very large flowers | 10/6 |
| Excellent , orange-scarlet, white eye | 7/6 | President , large globose truss of finely-formed brilliant orange flowers | 5/- |
| Excelsior , orange-red with a lighter centre; segments broad | 5/- | Splendens , dark orange | 5/- |
| Favourite , light orange-yellow flowers of fine form; truss large and compact | 5/- | Superbum , larger and better-coloured than <i>Clivia miniata</i> | 5/- |
| Mlle. Marie Van Houtte , orange-scarlet with orange-yellow centre | 5/- | | |

PELARGONIUMS (GERANIUMS)

LARGE SHOW VARIETIES

18- to 30- per doz., our selection

DECORATIVE FRINGED, SEMI-DOUBLE AND SPOTTED PELARGONIUMS

Particularly recommended as being exceedingly showy and very free flowering.

18- to 30- per doz., our selection

FANCY PELARGONIUMS

All the leading sorts at 18/- to 30/- per doz.

ZONAL GERANIUMS

12/- per doz., our selection

- Arabic**, bright scarlet, large white eye
- Ascot**, deep salmon
- Blenheim**, scarlet, large white eye
- Bombay**, bright rosy-red
- Bowood**, light self-crimson, very large flower
- Caledonia**, an exquisite blush tint, dwarf habit
- Campania**, mottled salmon, large white eye
- Captain Holford**, soft crimson tinted with purple; very free
- Cevic**, delicate flesh tint with circular ring of darker shade
- Chatsworth**, orange-scarlet
- Chaucer**, cerise-red
- Countess of Hopetoun**, bright salmon margined with pure white
- Crabb**, cherry-red
- Dr. Rothers**, glowing scarlet
- Dryden**, carmine-red
- Dublin**, rosy-magenta
- E. Bidwell**, vermilion-scarlet with white eye
- Frogmore**, magenta suffused crimson
- General Wolseley**, rosy-red
- Gertrude Pearson**, rose-pink with white blotch on the upper petals
- Goodwood**, pure white
- Hatfield**, rose-pink
- Hopedene**, light crimson-lake shading to magenta, white centre
- J. M. Barrie**, bright cerise-red
- King Victor**, clear cerise-red
- Kingswood**, bright scarlet, clear white centre, good shape
- Lady Folkestone**, blush-pink, large circular flowers
- Lady Laurier**, clear salmon, white eye
- Lady Roscoe**, delicate flesh-pink
- Lady Warwick**, pure white reddish-pink margin
- London**, dark crimson, very large
- Lord Strathcona**, bright scarlet
- Lucania**, cerise shaded orange, white eye
- Mark Twain**, white flaked with carmine
- Mary E. Wilkins**, blush-pink
- Mauretania**, blush with salmon ring round eye
- Mentmore**, soft rosy-cerise
- Mrs. Brown-Potter**, clear bright pink
- Mrs. B. W. Currie**, soft rosy-pink
- Mrs. Chas. Pearson**, rich orange-salmon
- Mrs. Ewing**, light salmon-pink
- Mrs. G. Cadbury**, a pleasing shade of salmon
- Mrs. William Todman**, brilliant scarlet
- New York**, brilliant scarlet with white eye
- Nicholas II.**, crimson-scarlet, white eye
- Paris**, ground colour white splashed and striped deep pink
- Phyllis**, light salmon-pink
- President McKinley**, warm rosy-red
- Princess of Wales**, rosy-cerise
- Queenswood**, soft salmon mottled white
- Saxonia**, bright scarlet, small white eye, large flowers
- Sir Ernest Cassel**, brilliant scarlet
- Sir Fred. Treves**, deep crimson, white eye
- Sir John Llewellyn**, intense crimson self
- Sir Thomas Hanbury**, scarlet-crimson upper petals, lower tinted magenta, white eye
- Snowdrop**, pure white
- Sydney**, fine light pink
- The Mikado**, soft cerise
- The Sirdar**, scarlet
- Tring**, clear crimson self
- Virginia**, pure white.



GERANIUM SNOW QUEEN. (See page 60.)

DOUBLE-FLOWERED ZONAL GERANIUMS

12/- per doz., our selection.

Aglaia, purple; dwarf and free flowering

Capt. Flayelle, reddish-erimson

Charles Gounod, bright scarlet, white centre, large flowers

Charles Lalande, rich crimson

Chavarri Hermanos, vivid scarlet

Colossus, rich reddish-crimson

Decorator, scarlet, very free

Double Jacoby, deep crimson

Dr. Cabanes, purplish-pink

Fraicheur, white, edged pink

F. V. Raspail, deep scarlet

G. Caillebotte, rich magenta, large trusses, dwarf habit

Gustav Emich, rich clear scarlet

Hermione, white

King of Denmark, clear salmon

Lord Derby, bright rose

Madame Alf. Erckemer, beautiful soft orange shade

Madame Breton Duverney, clear self salmon

Madame Charlotte, mottled salmon

Madame de Naurois, rose-pink deeper at the edges

Madame Dieulafoy, salmon-red

Madame Thibaut, rich rose

M. Anatole Roseleur, rose-pink

Mathias Sandorf, light cerise

Mrs. Lawrence, satiny-salmon, very free flowering

Pink Raspail, soft satiny-pink

Reunion, glowing orange-scarlet

Thos. Meehan, rosy-lake

Transvaal, soft cerise-scarlet

White Abbey, pure white.

GOLD AND BRONZE-LEAVED VARIEGATED GERANIUMS

All the best varieties both for bedding and pot culture,
6/- to 9/- per doz.

SILVER-LEAVED VARIEGATED GERANIUMS

SNOW QUEEN (New), a very dwarf compact and distinct silver variegated variety. In habit it resembles *West Brighton Gem*. The flowers are semi-double, pure white, in fairly large trusses. Award of Merit R.H.S., June 7th, 1910. See illustration page 59.

24/- per doz. 2/6 each.

All the best varieties, 6/- to 9/- per doz.

IVY-LEAVED GERANIUMS

12/- per doz., our selection.

Achievement, soft salmon-pink
Abel Carriere, magenta, striped with maroon
Beauty of Castle Hill, soft rose with dark blotch
Berthelot, flowers produced in large trusses, large, full and well-formed, pale violet
Col. Baden-Powell, soft blush-lilac
Corden's Glory, bright scarlet
Galilee, beautiful clear rose, the finest of its colour yet obtained
Her Majesty The Queen, soft salmon
His Majesty The King, dark cerise
Incomparable, crimson-scarlet
Jeanne d'Arc, white suffused with pale rose

Jersey Beauty, soft rose-purple
J. T. Hamilton, good scarlet
Jubilee, deep rose
La Rosiere, soft satiny rose, pale margin
Leopard, lilac-pink blotched crimson
Madame Grousse, soft rose
Mrs. Hawley, a vigorous form of *Souvenir de Charles Turner*
Mrs. J. G. Day, crimson-scarlet
Mrs. W. H. Martin, soft mauve, semi-double
Murillo, dark crimson, free flowering
Ryecroft Surprise, soft salmon-pink; very pretty and effective
Souvenir de Charles Turner, deep rose, shaded with amaranth.

SWEET-SCENTED GERANIUMS


9/- and 12/- per doz., our selection.

capitatum, rose scented; flowers rosy-purple
Glorinda, rich rosy-pink; very free
crispum, citron-scented, flowers purple
Dale Park Beauty, fragrant
denticulatum or **Pheasant's Foot**, nicely cut foliage; useful for bouquets
Duchess of Devonshire, blush-white, blotched maroon
ficifolium odoratum, fern-like leaves
Fair Ellen, oak-leaved variety, rose flowers
Lady Mary, citron-scented
Lady Plymouth, silver variegated leaf
Lady Scarborough, parsley-leaved
Little Gem, bright rose, peppermint-scented

Mrs. Douglas, rich mauve, maroon blotch on the upper petal
odoratissimum lobatum, peppermint-scented
Pretty Polly, almond-scented leaves; plant of bushy habit
Prince of Orange, orange-scented
quercifolium, oak-leaved; very large
 — **minor**, smaller than the type
radula, much divided leaves, balsam-scented
 — **major**, leaves large, much cut
Rollisson's Unique, rich violet-crimson
Shottenham Pet, rosy-purple, filbert-scented
Stag's Horn, leaves much divided with crisp margins.

PHYLLOCACTUS

Best named sorts, our selection, 42/- per doz.



RHODODENDRON KING EDWARD VII.

JAVA RHODODENDRONS

The following hybrids require a temperature not lower than 50°–60° F. in winter, with a moist atmosphere at all seasons.

JAVANICO-JASMINIFLORUM HYBRIDS

Nearly all in the following list have received Awards of Merit from the Royal Horticultural Society.

Fine varieties, our selection, 42/- per doz.

Newer „ „ 63/- and 84/- per doz.

| | | | |
|---|-----|---|------|
| Aphrodite , blush-pink suffused with white; a beautiful variety | 3/6 | Hercules , bright fawn-yellow toned with rose-pink | 5/- |
| Apollo , orange-scarlet | 5/- | Indian Yellow , rich orange-yellow, extra fine | 5/- |
| Baroness Henry Schroeder , finest of the light varieties; delicate rose | 5/- | jasminiflorum carminatum , resembles the species in form, but differs in colour, which is a rich carmine | 5/- |
| Brilliant , brilliant scarlet flowers of fine form, 2½ inches in diameter; the finest of its colour yet raised | 5/- | King Edward VII. , bright yellow flowers, borne in large bold trusses (see illustration above) | 10/6 |
| Diadem , bright orange-scarlet tinted with carmine | 5/- | | |

JAVA RHODODENDRONS—continued.

| | | | |
|--|-----|--|-----|
| luteo-roseum , satiny-rose suffused with white, the centre toned light yellow | 5/- | Princess Christian , soft nankeen-yellow, rose-pink filaments | 3/6 |
| Ne Plus Ultra , crimson-scarlet, one of the finest of its colour | 7/6 | Princess Royal , light rose-pink with darker centre | 3/6 |
| President , clear buff-yellow tinted with rose, deep carmine-red filaments | 3/6 | Souvenir de J. H. Mangles , orange-yellow suffused with rose-pink | 5/- |
| Primrose , the purest primrose-yellow yet obtained in the section | 7/6 | Sybil , rose-pink suffused with white | 3/6 |
| Princess Alexandra , white with a faint tinge of blush | 3/6 | The Queen , pure white with a cream-white centre, anthers rose and yellow | 5/- |
| Princess Beatrice , light yellow suffused with pink, light pink centre | 5/- | Thetis , light tawny-yellow faintly tinted with rose | 5/- |
| | | Triumphans , crimson-scarlet; a splendid variety of very fine form | 5/- |

BALSAMINÆFLORUM HYBRIDS

| | | | |
|---|-----|--|-----|
| balsaminæflorum album , white large compact trusses | 5/- | balsaminæflorum Rajah , outer segments of the limb bright fawn yellow tinted with rose towards the margin; smaller central ones fawn-yellow edged bright rose | 5/- |
| — aureum , bright yellow | 5/- | — roseum , rose-pink suffused light orange | 5/- |
| — carneum , flesh-coloured tinted rose, also with yellow when first expanded | 5/- | | |

MALAYANUM HYBRID

| | |
|--|-----|
| Little Beauty , clusters of six to nine or more flowers, of a uniform glowing carmine-scarlet | 5/- |
|--|-----|

MULTICOLOR HYBRIDS

| | | | |
|--|-----|--|-----|
| Latona , flowers over 2 in. in diameter and of a very pure cream yellow | 5/- | Neptune , trusses of from five to nine flowers of brilliant scarlet | 5/- |
| Mrs. Heal , flowers nearly 2 in. in diameter, of the purest white | 5/- | Ruby , compact trusses, dark coral-red toned with crimson | 5/- |

HIMALAYAN RHODODENDRONS

Temperature not lower than 40°—45° F. in winter.

| | | | |
|--|------|--|-----|
| argenteum (<i>grande</i>), flowers pure white; leaves silvery white beneath, silky, very beautiful in the bud stage | 10/6 | exoniense , white tinged with rose | 3/6 |
| Aucklandii , pure white tinged with pink; the largest in the genus | 7/6 | Falconeri , white, densely borne in globose heads | 5/- |
| calophyllum , pure white slightly tinged with yellow-green | 3/6 | formosum magnificum , white shaded blush | 3/6 |
| Countess of Haddington , pink, changing to blush-white | 5/- | Fosterianum , white and fragrant | 7/6 |
| Dalhousiæ , fine sulphur-yellow; tall grower | 7/6 | fragrantissimum , pure white and very fragrant | 3/6 |
| Edgeworthii , white, sometimes tinged with blush or pale yellow | 5/- | Hodgsonii , delicate rose | 7/6 |
| | | Lady Alice Fitzwilliam , pure white | 3/6 |
| | | Maddenii , pure white with a faint blush | 5/- |




RHODODENDRON VEITCHIANUM.

Nuttallii, white, slightly tinged with
rose; fragrant 5/-

Sesterianum, pure white, sometimes
tinged with blush; fragrant 3/6

Thompsonii, deep red and glossy,
spotted on the upper limb 10/6

Veitchianum, pure white, funnel-
shaped, with a crisped margin
(see illustration above) 5/-



VEITCH'S NEW GIANT STREPTOCARPUS.

STREPTOCARPUS VEITCH'S IMPROVED STRAIN

Vigorous habit, very tree flowering, easy culture.

A continuous succession of flower nearly all the year round.

Choice varieties, 30/- to 42/- per doz. Extra selected, 60/- per doz.

Seedlings, flowering size, in many colours, 18/- and 24/- per doz.

Streptocarpus achimeniflorus albus, large-flowering white. 2/6.

— **giganteus**, large well-shaped flowers of lavender-blue, borne in large panicles. 2/6.

— **roseus**, soft delicate rose. 2/6.

Veitch's New Giant, beautiful white with delicate markings at the base of the lower petals, unsurpassed for size. The individual blooms often measure $4\frac{1}{2}$ in. in diameter, and are borne on long stems, making it most useful for cutting of vigorous habit (see illustration above). 2/6.

GENERAL COLLECTION OF GREENHOUSE PLANTS.

† **Ornamental Foliage.**

* **Climbers.**

Abutilons

In variety, winter-flowering, white, yellow, red or rose. Our selection, 15/- per doz. 1/6

Acacia

armata
cordata
dealbata
Drummondii
grandis
lineata
longifolia
platyptera
Riceana
verticillata

Very useful spring-flowering plants, various shades of yellow; free flowering. 3/6

† Acanthopanax

quinquefolium variegatum 5/-

Agapanthus

umbellatus, beautiful trusses of blue flowers 1/6

Aloysia (Sweet Verbena)

citriodora 1/-

Amphicome

Emodii, rose, orange throat 3/6
(see illustration below)

Anopterus

glandulosa, white, rose tinted, flowers in May 3/6

Aotus

gracillima, dense graceful spikes of yellow and crimson flowers in May 3/6


Aphelexis

humilis, pink; lasts a long time in flower 3/6

macrantha purpurea, dark purple; lasts a long time in flower 3/6



AMPHICOME EMODII.



ARAUCARIA EXCELSA.

† **Aralia**

- Sieboldii* (japonica), large green palmate leaves, good room plant 1/6
variegata, a variegated form 3/6

† **Araucaria**

- excelsa* (see illustration above) 3/6
compacta, a dwarf variety 3/6
glauca, pale green and glaucous foliage 3/6

† **Aspidistra**

- lurida* 3/6 to 10/6
variegata 3/6 to 10/6
 (see illustration page 67)

Backhousia

- myrtifolia*, evergreen, corymbs of white flowers in May 3/6

Bauera

- rubroides*, pale pink flowers very freely produced in spring 3/6

Beaufortia

- purpurea*, purplish-red flowers, very free; May 3/6
sparsa (*splendens*), bright scarlet 3/6

* **Bignonia** (*Tecoma*)

- capensis*, clusters of orange-scarlet flowers 3/6
Cherere, orange 3/6
jasminoides, white, streaked red 3/6
rosea, rose 3/6
speciosa, pink stained with purple 3/6

Blandfordia

- nobilis* (*grandiflora*), orange, yellow margin; July 5/-

Boronia

- elator*, rosy-red flowers 3/6
heterophylla, purplish-pink 3/6
megastigma, brown (see illustration page 68) 3/6

* **Brachysema**

- acuminatum*, red flowers, good pillar plant 3/6

† **Ornamental Foliage.*** **Climbers.**

- Brugmansia** (*Datura*). Enormous trumpet-shaped flowers.
arborea, white flowers, 6 to 8 in. long 3/6
Knightii, large double white hanging flowers 3/6
sanguinea, orange-yellow 3/6
lutea, a yellow form 3/6

- Calceolaria** (herbaceous)
 Vigorous, dwarf, early flowering, wide range of colour, from pure selfs to the most finely blotched and spotted forms,
 1/- each and upwards

- Callicarpa**
purpurea, purple berries on long arching shoots in winter 3/6

- Campanula**
isophylla, lilac-blue 1/-
alba, pure white 1/-

- Candollea**
tetrandra, yellow 3/6

- * **Cantua**
dependens (*luxifolia*), rose, funnel-shaped flowers 3/6

- † **Carex**
japonica variegata, variegated grass-like foliage 1/6

- Cassia**
corymbosa, corymbs of yellow flowers 3/6

- † **Casuarina**
sumatrana, shrub, with dense slender branchlets 3/6

- Ceratopetalum**
gummiferum, terminal panicles of yellow flowers 3/6

- Chorizema**
cordatum { shades of }
splendens { red and } 3/6
Chandleri { yellow }
Lowii

- Cineraria**, choice varieties
Feltham Beauty, particularly elegant, dwarf habit, distinct shade of colour
polyantha (*stellata*), a good conservatory plant, immense heads of small star-shaped flowers on long stalks

- Veitch's Superb Strain*, sturdy and compact
 Price for all 3 sections, 1/- each and upwards

- + * **Cissus**
antarcticus, a good climber 3/6
Rhombea, trifoliolate leaves, dark green foliage, good conservatory plant for towns 3/6

- Citrus**
Aurantium (St. Michael's Orange) 5/-
Tangerine 5/-
decumana (Shaddock) 5/-
japonica (Otaheite Orange) 5/-



ASPIDISTRA LURIDA VARIEGATA.

Perhaps more generally used than any other plant for the decoration of rooms (See page 66)

Crinum
Macowenii, white, tinged red 7/6
Moorei, white, suffused with rose 7/6

Crowea
angustifolia, deep blush - white. flowers most freely in spring, remains in flower several weeks 3/6
latifolia (saligna), clear pink flowers 3/6

Cyclamen
 Gold Medal Strain,
 per doz., 18/- to 42/-.

Cytisus
Everestianus, golden-yellow spikes 2/6
filipes, loose elegant drooping habit. fragrant white flowers 3/6
racemosus, spikes of bright yellow flowers. fragrant 1/6

Daphne
indica alba, fragrant white flowers 3/6
rubra, rosy-pink, flowers in February, very sweet-scented 3/6

Diosma
capitata }
ericoides } fragrant foliage 3/6
gracilis }

Diplacus (Mimulus)
coccineus }
glutinosus } orange shades } 3/6
punicus aurantiacus } very free-flowering }
 Sunbeam }

Elæocarpus
reticulatus, fringed cream - white flowers 5/-

Epacris
 In variety, winter-flowering shrubs. distinct white and rose shades. per doz., 18/- and 30/-

Epiphyllum
delicatum, pale pink, winter-flowering 3/6
Gaertneri, brilliant scarlet, spring-flowering 3/6
Makoyana, brilliant scarlet, spring-flowering 3/6
truncatum, rose, winter-flowering 3/6
violaceum, white and purple, winter-flowering 3/6
tricolor, salmon-red, centre purplish, winter-flowering 3/6

Erica (Heath)
Bowieana, white
candidissima, white (see illustration page 70)
caffra, white, sweet-scented
Cavendishiana, rich yellow
cerinthoides coronata, scarlet-crimson
colorans, white and rose
fastigiata alba, white
gracilis autumnalis, purplish-red
vernalis, purplish-red
grandinosa, white
hybrida, bright red
hyemalis, rosy-pink
alba, a pure white form
mammosa pallida, pale rose
melanthera, pink
persoluta alba, white
rubra, red
perspicua erecta, reddish-purple
nana, pinkish-white
propendens, lilac
Spenceriana, purplish-lilac
ventricosa, purplish-red
verticillata, scarlet
Wilmoreaana, rosy-pink

Eriostemon
densiflorus, white 3/6
pulchellus, white 3/6
scaber, white, tinged pink 3/6

Erlangea
tomentosa, mauve flowers about Christmas, last two or three months, scented foliage 3/6
 (see illustration page 71)

Eupatorium
vernale, large-flowered, foliage dark green, flower blush changing to white : lasts several weeks 2/6

† **Eurya**
latifolia variegata, yellow variegated foliage, useful for decoration 3/6

Eutaxia
myrtiflora floribunda, yellow flowers 3/6

Ficus
 † *elastica* (India Rubber Plant), large leathery leaves 2/6
 † *radicans*, self-clinging or hanging, small dark green foliage 1/6
 † *variegata*, variegated with creamy-white 1/6

per doz., 18/-, 30/- and 42/-



ERICA CANDIDISSIMA.

One of the best Spring-flowering Heaths (See page 69).

Ficus

- * *repens*, small foliage, self-clinging,
for wall or baskets 1/6
minima, smaller foliage than
the type 1/6
See also page 39

Gerbera

- Jamesonii* (Transvaal Daisy), orange-
scarlet 1/6
New Hybrids, flowers on long stalks,
pure yellow, white, crimson,
pink, orange - salmon, and
other shades; of easy culture
as pot plants for greenhouses
or frames; can be grown out-
side in warm borders with
slight protection during
winter 2/6

Grevillea

- Forsteri*, large bright red trusses 3/6
† *Manglesii*, bright green ornamental
foliage, drooping habit 3/6
Preissei, bright deep red flowers,
yellow at tip 3/6
† *robusta*, beautiful fern-like foliage;
good sub-tropical plant 3/6

*** Habrothamnus**

- aurantiacus*, golden-yellow flowers 2/6
elegans, purplish-red 2/6
fasciculatus, purplish-red 2/6
Newellii, bright crimson flowers in
terminal clusters 2/6

† **Ornamental Foliage.**

* **Climbers.**

Hedychium

coronarium, snow-white, sweet-scented 3/6

Gardnerianum, bright yellow spikes, fragrant 3/6

Heliotrope

per doz., 6/- to 9/-
standards, 2½ to 3 ft. stems 3/6 and 5/-

* **Hibbertia**

dentata, deep yellow flowers, dark coppery foliage 3/6

volubilis, yellow, dark green leaves 3/6

Humea


elegans, scented leaves, tall drooping panicles of brownish pink flowers 1/6

Insectivorous Plants

Prices on application.

† **Isolepis**

gracilis, grass-like hanging plants, suitable for decoration or edges of staging 1/6



G.M. 1100

ERLANGEA TOMENTOSA (See page 69).



JASMINUM PRIMULINUM.

A beautiful greenhouse wall plant with yellow blossoms. Flowers in early Spring.

* **Jasminum**

| | |
|--|-----|
| angulare, white | 3/6 |
| gracile, white | 3/6 |
| gracile de Poiteau, white | 3/6 |
| grandiflorum, white, reddish underneath | 3/6 |
| odoratissimum, yellow, very sweet-scented | 3/6 |
| primulinum (see illus- tration) | 1/6 |

Kalanchoe

| | |
|---------------------------------------|-----|
| flammea, beautiful scar- let heads | 2/6 |
| Kewensis, rose | 3/6 |

Kalosanthes (*Crassula*)

| | |
|--|-----|
| coccinea, masses of scar- let flowers | 2/6 |
|--|-----|

* **Kennedyia**

| | |
|---|-----|
| (<i>Hardenbergia</i>) | |
| Comptoniana, purple | 3/6 |
| longiracemosa, purple | 3/6 |
| nigricans, deep purple | 3/6 |
| ovata alba, white | 3/6 |
| prostrata <i>Marryattæ</i> , light scarlet | 3/6 |
| rubicunda <i>superba</i> , bright red | 3/6 |

* **Lapageria**

| | |
|--|-----|
| alba, a very beautiful pure white green- house creeper with bell-shaped flowers | 5/- |
| rosea, similar, with deep rose flowers | 3/6 |
| Nash Court variety, very large, brilliant crimson | 5/- |

Lasiandra

| | |
|--|-----|
| macrantha, large rich violet-blue flowers | 3/6 |
|--|-----|

Linum

| | |
|--|-----|
| trigynum, yellow flowers free-flowering | 2/6 |
|--|-----|

† **Lomatia**

| | |
|---|-----|
| ferruginea, graceful habit, fern-like foliage | 5/- |
| heterophylla, elegant evergreen foliage plant | 5/- |


* **Lonicera**

| | |
|---|-----|
| sempervirens minor, evergreen, scarlet and yellow flowers | 3/6 |
|---|-----|

- Lotus**
peliorhynchus, scarlet flowers, good plant for baskets 2/6
- Luculia**
gratissima, large heads of sweet-scented pink flowers 5/-
- Macleania**
insignis, young foliage on spring growths has brilliant red tints 5/-
- Magnolia**
fuscata, evergreen, dull purple flowers, very sweet-scented 3/6
- * **Mandevilla**
suaveolens, large pure white fragrant flowers 2/6
- Metrosideros**
floribunda (The Bottle-brush), heads of bright red flowers 3/6
- Mitraria**
coccinea, bright scarlet flowers 3/6
- Moschosma**
riparium, Spiraea-like panicles of white flowers in winter 2/6
- Musa**
ensete, bright green leaves, crimson midrib; useful for sub-tropical gardening 3/6
- † **Myrsiphyllum**
asparagoides (Smilax), long sprays of green foliage, most popular for decorating tables 2/6
- Myrtus**
communis, the common Myrtle 1/6
Jennie Reitenbach, smaller foliage and very neat habit 1/6
- Nerine**
Bowdenii, pink 5/-
coruscans, deep scarlet 3/6
Fothergillii major, brilliant large scarlet flowers in Sept., the finest variety of all 3/6
- Nerium** (Oleander)
album, double white 3/6
roseum, double rose 3/6
- † **Ophiopogon**
spicatus aureo variegatus, yellow variegated foliage, much used in decoration 2/6
- * **Passiflora**
alato-cœrulea, petals white inside, calyx rose, filaments blue and white 3/6
Allardii, a hybrid raised by Mr. Allard late foreman at the Botanic Gardens, Cambridge, between *P. quadrangularis* and *P. Constance Elliott*, petals almost pure white, with a shade of pink, the filaments of the corona are deepest cobalt blue, the leaf has usually three broad lobes; a very free-flowering variety 3/6
Bellottii, sepals flesh, petals delicate rose, rays corona blue 3/6
cœrulea racemosa, purple 3/6
- Pentapterygium** (*Taccinium*)
rugosum, white, marbled with blood-red 5/-
serpens, bright red with darker markings 5/-
- † **Phormium**
Colensoi (*Cookianum*), small Flax Lily, sword-like foliage 3/6
tenax (New Zealand Flax), leaves rigidly erect dark green 3/6
atropurpureum, purplish foliage 3/6
variegatum, dark green striped with yellow and white 5/-
Veitchii, narrow pea-green leaves, striped with creamy-white 3/6
- * **Physianthus**
albens, pillar plant, white flowers, tinged red 3/6
- Pimelea**
decussata, rosy red flowers 3/6
- Plumbago**
capensis, large heads of pale cobalt-blue 3/6
alba, the white form 3/6
- Polygala**
Dalmaisiana, rich purple pea-shaped flowers 3/6
- Primula**
Veitch's obconica grandiflora, a striking improvement on the original *P. obconica*, pure white, rose, pale blue, carmine, pink, mauve, and other shades, remains in flower two to three months (see illustration page 74) 1/- each and upwards

† Ornamental Foliage.

* Climbers.



VEITCH'S PRIMULA OBCONICA GRANDIFLORA See page 73).

"Ranged from pure white through shades of lilac and mauve to rosy purple. The plants were in splendid condition and greatly admired."—*Journal of Horticulture*.

"A splendid strain embracing pure white, pink, pale blue, rose, carmine and other shades intermediate between these. The whole of the plants were profusely flowered, while in the matter of size the flowers were of the finest description."—

The Garden.

"The exhibit demonstrated the great advance that has been made in the size and colour of this Primula."—*Gardeners' Chronicle*.

Primula

Kewensis, winter-flowering, a strong grower, fragrant yellow flowers 2/6

sinensis varieties, charming plants for decoration during the winter and spring months; most distinct and varied, 1/- each and upwards

† **Rhopala**

corcovadensis, handsome foliage, mahogany-coloured stems 5/-

elegantissima, light evergreen foliage 5/-

* **Rhynchospermum**

jasminoides, white flowers, very fragrant 3/6

Richardia

Elliottiana, the yellow Arum, leaves dark green, spotted white 2/6
(see illustration below)

Pentlandii, deep yellow, purple-brown blotch at base 5/-

Rochea

falcata, corymbs of bright crimson flowers 1/6

* **Ruscus**

androgynus, ornamental quick-growing evergreen climber 5/-

Salvia

splendens, spikes of bright scarlet flowers 1/-

(see illustration page 76)

Zurich, dwarfer than the type 1/-



RICHARDIA ELLIOTTIANA.

The yellow Arum.

Ornamental Foliage.

* Climbers.



SALVIA SPLENDENS (See page 75).

Saxifraga

sarmentosa tricolor, very beautifully marked foliage, dwarf and compact, splendid plant for hanging basket 1/6

* **Senecio**

auriculatissimus, pillar plant, rich golden flowers in corymbs 2/6

Sibthorpia

europæa variegata, bright golden-green foliage 1/6

peregrina, small trailing hairy perennial, flowers yellow 1/6

Solanum

hybridum, red berries in winter 1/6

* *jasminoides*, pillar plant, white flowers, slightly tinted 2/6

* *Wendlandii*, large clusters of lilac-blue flowers, well-adapted for pillars and roofs; a good plant for pot culture 3/6

* **Sollya**

Drummondii, evergreen twiner, small deep blue flowers 3/6

heterophylla, Australian Bluebell Creeper 3/6

Sparmannia

Africana, white flowers 3/6

flore pleno, double-flowered variety 3/6

Statice

Butcheri, blue 3/6

Halfordii, spikes of white flowers in May 3/6

profusa, calyx purple-blue, corolla white 3/6

* **Streptosolen**

Jamesonii, free-flowering climber or pot plant, clusters of bright orange flowers from May to August; a good plant for mixed beds outside during August and September 1/6 and 3/6

† **Ornamental Foliage.**

* **Climbers.**

| | | | |
|---|-----|--|--|
| * Swainsona | | Thea (Tea) | |
| <i>galegifolia</i> , deep red flowers | 3/6 | <i>assamica</i> | { evergreen shrubs with foliage similar to Camellias } 5/- |
| <i>alba</i> , white variety | 3/6 | <i>Bohea</i> | |
| <i>Osbornii</i> , pink, changing to violet | 3/6 | <i>viridis</i> | |
| * Tacsonia | | * Thibaudia | |
| <i>Exoniensis</i> , sepals and petals brick-red, rose-pink within, throat violet, strong grower | 3/6 | <i>acuminata</i> , red | 3/6 |
| <i>manicata</i> , scarlet | 3/6 | <i>macrantha</i> , white, yellow and red | 3/6 |
| <i>Smythiana</i> , very bright pink | 3/6 | <i>pulchra</i> , orange-red | 3/6 |
| <i>Van Volxemii</i> , scarlet, very showy, one of the best | 3/6 | Vallota | |
| | | <i>purpurea</i> (Scarborough Lily), large bright scarlet flowers | 1/6 |
| * Tecoma | | Veronica | |
| <i>Smithii</i> , racemes of bright yellow flowers | 3/6 | <i>diosmifolia</i> , neat shrub, corymbs of small lilac flowers | 2/6 |
| See also <i>Bignonia</i> page 66. | | | |

THE BEST GREENHOUSE CLIMBERS OR PILLAR PLANTS


42/- per doz., our selection.

| | | |
|-------------------------------------|---|--------------------------------------|
| <i>Acacia</i> <i>Riceana</i> | <i>Hibbertia</i> <i>dentata</i> | <i>Plumbago</i> <i>capensis</i> |
| <i>Begonia</i> <i>coccinea</i> | <i>Jasminums</i> | — — <i>alba</i> |
| — — <i>fuchsiodes</i> | <i>Kennedyas</i> | <i>Rhyncospermum</i> |
| <i>Bignonias</i> | <i>Lapageria</i> <i>alba</i> | <i>jasminioides</i> |
| <i>Brachysema</i> <i>acuminatum</i> | — — <i>rosea</i> | <i>Solanum</i> <i>Wendlandii</i> |
| <i>Clematis</i> <i>indivisa</i> | <i>Lasiandra</i> <i>macrantha</i> | <i>Sollya</i> <i>Drummondii</i> |
| — — <i>lobata</i> | <i>Lonicera</i> <i>semperflorens</i> <i>minor</i> | — — <i>heterophylla</i> |
| <i>Clianthus</i> <i>puniceus</i> | <i>Mandevilla</i> <i>suaveolens</i> | <i>Streptosolen</i> <i>Jamesonii</i> |
| <i>Fuchsias</i> | <i>Passifloras</i> | <i>Swainsonias</i> |
| <i>Habrothamnus</i> | | <i>Tacsonias</i> . |

THE BEST GREENHOUSE PLANTS IN FLOWER FROM NOVEMBER TO APRIL

30/- per doz., our selection.

| | | |
|------------------------------------|---|-------------------------------------|
| <i>Abutilons</i> | <i>Coleus</i> <i>thyrsoides</i> | <i>Eupatorium</i> <i>venale</i> |
| <i>Acacias</i> | <i>Coronilla</i> <i>glauca</i> | <i>Imantophyllums</i> |
| <i>Aotus</i> <i>gracillima</i> | <i>Croweas</i> | <i>Jasminums</i> |
| <i>Azalea</i> <i>indica</i> | <i>Cyclamen</i> <i>persicum</i> | <i>Lasiandra</i> <i>macrantha</i> |
| <i>Begonias</i> | <i>Cytisus</i> | <i>Linum</i> <i>trigynum</i> |
| <i>Boronia</i> <i>heterophylla</i> | <i>Daphne</i> <i>indica</i> <i>alba</i> | <i>Luculia</i> <i>gratissima</i> |
| — — <i>megastigma</i> | — — <i>rubra</i> | <i>Nerines</i> |
| <i>Bouvardias</i> | <i>Epacris</i> | <i>Phyllocactus</i> |
| <i>Camellias</i> | <i>Epiphyllums</i> | <i>Primulas</i> |
| <i>Carnations</i> , | <i>Ericas</i> | <i>Rhododendrons</i> |
| Perpetual-flowering | <i>Eriostemons</i> | <i>Sparmannia</i> <i>africana</i> . |
| <i>Chorizemas</i> | <i>Erlangea</i> <i>tomentosa</i> | <i>Vallota</i> <i>purpurea</i> . |



PHOENIX ROEBELINII (See page 80).
The best of the genus. Stands the atmosphere of rooms wonderfully well.



KENTIA FORSTERIANA (See page 80).
The beautiful palm that stands so well in rooms.

PALMS

We make a very great speciality of the best varieties of Palms in all sizes, and we offer to our customers only perfectly shaped plants carefully selected from a very large stock. Our Palms are specially grown without extra heat, and will be found of the greatest value for all kinds of decorative work.

| | | | |
|----------------------------|--------------|--------------------------|--------------|
| Areca | | Cocos | |
| lutescens | 1 6 to 5 - | Weddelliana | — 1/ |
| | | larger | 3 6 to 21/ |
| Chamærops | | seedlings, 9/- per doz. | |
| excelsa | 2 6 .. 15/- | (See illustration below) | |
| strong | 31 6 .. 63/- | | |
| Fortunei | 2 6 .. 15/- | Corypha | |
| strong | 31 6 .. 63/- | australis | 2 6 .. 5/- |
| humilis | 5- .. 21/- | larger | 10 6 .. 21/- |
| strong | 31 6 .. 63/- | | |
| Cocos | | Geonoma | |
| flexuosa | 10 6 .. 63 - | gracilis | 1 1/ .. 7 6 |
| (See illustration page 80) | | seedlings, 9 - per doz. | |



COCOS WEDDELLIANA.

A light and graceful palm. Very useful for dinner tables or rooms.

**COCOS FLEXUOSA.**

A particularly light and elegant palm, invaluable for decoration (See page 79).

Kentia

| | |
|----------------------------|---------------|
| Belmoreana | 1/- to 7/6 |
| strong | 10/6 ,, 42/- |
| seedlings, 9/- per doz. | |
| Forsteriana | 1/- ,, 7/6 |
| strong | 10/6 ,, 105/- |
| seedlings, 9/- per doz. | |
| (See illustration page 78) | |
| Sanderiana | 1/6 ,, 3/6 |

Latania

| | |
|-----------|--------------|
| borbonica | 2/6 ,, 7/6 |
| strong | 10/6 ,, 31/6 |

Phoenix

| | |
|----------------------------|--------------|
| canariensis | 3/6 to 10/6 |
| strong | 21/- ,, 42/- |
| Rœbelinii | 1/6 ,, 5/- |
| strong | 10/6 ,, 63/- |
| (See illustration page 78) | |
| rupicola | 3/6 ,, 10/6 |

Rhapix

| | |
|----------------|-------------|
| flabelliformis | 3/6 ,, 21/- |
|----------------|-------------|



STANDARD AND PYRAMID BAY TREES IN TUBS

(See page 82).

BAY TREES IN TUBS

These very valuable subjects for Terraces, Corridors, and similar positions are a strong feature at Chelsea during the spring and summer. Carefully selected each season from many thousand specimens, our Bay Trees are conspicuous for their perfect shape and close growth. The appended photographs will convey this to some extent, but the trees themselves should be seen to enable their excellence to be fully appreciated.

(See illustrations, page 81.)

APPROXIMATE DIMENSIONS.

| STANDARDS | { | Diameter of Tub. | Length of stem. | Diameter of Head at Base. | Depth of Head. | Price. |
|------------------|---|-----------------------------|----------------------------|--------------------------------------|---------------------------|---------------|
| | | 20 inches | $3\frac{1}{2}$ to 4 feet | 4 feet | 3 to $3\frac{1}{2}$ feet | 42/- to 52/6 |
| | | 16 & 18 inches | $3\frac{1}{2}$ to 4 feet | $2\frac{1}{2}$ feet | $2\frac{1}{2}$ feet | 21/- ,, 31/- |
| | | 14 inches | 4 feet | 2 to $2\frac{1}{4}$ feet | 2 feet | 12/6 ,, 15/- |

| SHORT STANDARDS | { | 14 inches | 2 to 3 feet | 2 feet | 2 feet | 12/6 to 15/- |
|----------------------------|---|-----------|-------------|--------|--------|--------------|
| | | | | | | |

| IMPERIALS Standards with Pyramid-shaped Heads | { | 18 to 22 inches | 4 feet | $2\frac{1}{2}$ to $3\frac{1}{2}$ feet | 5 to 6 feet | 42/- to 73/6 |
|---|---|-----------------|--------|---------------------------------------|-------------|--------------|
| | | | | | | |

| PYRAMIDS | { | Diameter of Tub. | Height. | Diameter at Base. | Price. |
|-----------------|---|-----------------------------|--------------------------|------------------------------|---------------|
| | | 22 inches | 7 to 8 feet | $2\frac{1}{2}$ to 3 feet | 52/6 to 63/- |
| | | 18 inches | 5 to $6\frac{1}{2}$ feet | $2\frac{1}{2}$ feet | 31/6 ,, 42/- |
| | | 15 & 16 inches | 5 to $5\frac{1}{2}$ feet | 2 feet | 15/- ,, 21/- |

| COLUMNS Pyramids with Rounded Tops | { | Diameter of Tub. | Height. | Diameter at Base. | Across Top. | Price. |
|---|---|-----------------------------|---------------------------------------|------------------------------|------------------------|---------------|
| | | 20 & 22 inches | $4\frac{1}{2}$ to $7\frac{1}{2}$ feet | 3 feet | $1\frac{1}{2}$ feet | 52/6 to 84/- |

The heights of the Bay Trees are measured from the top of the tubs.

FERNS

STOVE AND GREENHOUSE

No race of plants is so generally useful and decorative as Ferns, and certainly no plants are more easily cultivated.

For furnishing conservatories, rockeries, walls, nooks and corners, and for growing under stages, they possess a special value of their own.

In this list we name only such as are in our opinion the best and most suitable for the above purposes, and for the decoration of rooms.

Very many varieties in addition to those given here can always be supplied at the lowest prices, for making collections. Full particulars will gladly be sent upon application.

The sizes of Ferns principally in demand are in 3, 4 and 5-inch pots, but we have at all times strong plants in several sizes ranging in prices from 3/6 to 15/- each, and extra strong specimens from 21/- upwards.

The varieties marked thus * have proved the most reliable and hardy for indoor decoration.

The plants priced at 1/6 and 2/6 are mostly in 5-inch pots, and they can be had in separate or mixed dozens at 15/- per doz. and 24/- per doz. respectively, and in 3 and 4-inch pots at 6d. and 9d. each, 5- and 7/6 per doz. respectively.

STOVE FERNS

* Suitable for Indoor Decoration.

Adiantum

| | |
|----------------------------|-----|
| aneitense | 2/6 |
| Bessonianum | 2/6 |
| Birkenheadii | 2/6 |
| cardiochlena | 2/6 |
| Collisii | 1/6 |
| * cuneatum | |
| (Maidenhair) | 1/- |
| grandiceps | 1/6 |
| Farleyense | 3/6 |
| (See illustration page 84) | |
| Farleyense Glory of | |
| Moordrecht | 5/- |
| Fergusonii | 2/6 |
| gracillimum | 1/6 |
| Legrandii | 1/6 |
| macrophyllum | 2/6 |
| Pacottii | 1/6 |
| peruvianum | 3/6 |
| Reginæ | 1/6 |
| rhodophyllum | 1/6 |
| roseum | 2/6 |
| rubellum | 2/6 |
| scutum | 2/6 |
| Seemannii | 3/6 |
| tenerum | 2/6 |

Adiantum

| | |
|----------------------|-----|
| tinctum | 2/6 |
| trapeziforme | 2/6 |
| Veitchii | 3/6 |
| Victoriae | 2/6 |
| Weigandii | 1/6 |
| Asplenium | |
| alatum | 1/6 |
| cicutarium | 2/6 |
| fragrans | 2/6 |
| inæqualifolium | 1/6 |
| longissimum | 3/6 |
| Mayii | 2/6 |
| (Neottopteris) Nidus | 1/6 |
| * Veitchianum | 2/6 |
| viviparum | 2/6 |

Brainea

| | |
|----------|-----|
| insignis | 3/6 |
|----------|-----|

Cheilanthes

| | |
|-----------------|-----|
| hirta Ellisiana | 2/6 |
|-----------------|-----|

Davallia

| | |
|----------|-----|
| decora | 2/6 |
| dissecta | 2/6 |
| elegans | 2/6 |

Davallia

| | |
|-----------------------|-----|
| * Fijiensis | 2/6 |
| elegans | 2/6 |
| gracillima | 2/6 |
| plumosa | 2/6 |
| robusta | 2/6 |
| Mooreana | 2/6 |
| ornata | 2/6 |
| parvula | 3/6 |
| polyantha | 2/6 |
| retusa | 2/6 |
| * solida | 2/6 |
| tenuifolia Veitchiana | 3/6 |
| (See illustration | |
| page 85) | |

Goniophlebium

| | |
|----------------|-----|
| subauriculatum | 2/6 |
|----------------|-----|

Gymnogramme

| | |
|---------------------|-----|
| chrysophyllum | 2/6 |
| Alstonii | 2/6 |
| Laucheanum | 2/6 |
| giganteum | 2/6 |
| grandiceps superbum | 2/6 |
| Mayii | 2/6 |

**ADIANTUM FARLEYENSE.**

The most lovely of all the Maidenhair Ferns (See page 83).

Gymnogramme

| | | |
|-----------------|-----------------|-----|
| peruvianum | argyro- | |
| | phyllum (Silver | |
| | Fern) | 2/6 |
| schizophyllum | | |
| | gloriosum | 2/6 |
| | superbum | 2/6 |
| Veitchii | | 2/6 |
| Wettenhallianum | | 2/6 |

Hymenodium

| | | |
|----------|--|-----|
| crinitum | | 3/6 |
|----------|--|-----|

Lomaria

| | | |
|--------------|--|-----|
| L'Herminieri | | 2/6 |
|--------------|--|-----|

Lygodium

| | | |
|------------|--|-----|
| dichotomum | | 3/6 |
|------------|--|-----|

Nephrolepis

| | | |
|----------------|--|-----|
| * Duffii | | 2/6 |
| * pectinata | | 2/6 |
| philippinensis | | 2/6 |

Nothochlæna

| | | |
|---------|--|-----|
| sinuata | | 2/6 |
|---------|--|-----|

Platycterium

(Acrostichum)

| | | |
|------------|--|------|
| Æthiopicum | | 5/- |
| grande | | 5/- |
| Mayii | | 10/6 |
| Stemmaria | | 5/- |
| Veitchii | | 5/- |

Polypodium

| | | |
|----------------|--|-----|
| irioides | | 2/6 |
| ramo-cristatum | | 2/6 |
| Knightsæ | | 2/6 |

Pteris

| | | |
|--------------|--|-----|
| aspericaulis | | 1/6 |
| ludens | | 3/6 |
| tricolor | | 2/6 |

Selaginella

| | | |
|------------|--|-----|
| cæsia | | 1/6 |
| arborea | | 1/6 |
| Watsoniana | | 1/6 |

(See also Greenhouse
List page 88).

GREENHOUSE FERNS

* Suitable for Indoor decoration.

Adiantum

| | |
|------------------|-----|
| Capillus-Veneris | |
| imbricatum | 2/6 |
| Mariesii | 1/6 |
| decorum | 1/6 |
| elegans | 1/- |
| elegantissimum | 2/6 |
| formosum | 1/6 |
| fulvum | 1/6 |
| pubescens | 1/6 |
| setulosum | 1/6 |

Adiantum

| | |
|------------------|-----|
| tinctum | 1/6 |
| Williamsii | 2/6 |
| Alsophila | |
| excelsa | 2/6 |

Anemia

| | |
|-------------|-----|
| phyllitidis | 2/6 |
|-------------|-----|

Asplenium

| | |
|--------------------------------|-----|
| caudatum | 3/6 |
| * Colensoi | 1/6 |
| * dimorphum (<i>biforme</i>) | 1/6 |

Asplenium

| | |
|----------|-----|
| erectum | 1/6 |
| * Hillii | 1/6 |
| lucidum | 2/6 |
| umbrosum | 2/6 |

Cheilanthes

| | |
|---------|-----|
| elegans | 2/6 |
|---------|-----|

Cyathea

| | |
|------------|-----|
| dealbata | 5/- |
| medullaris | 7/6 |



DAVALLIA TENUIFOLIA VEITCHIANA.

A very graceful Fern for hanging baskets. Valuable for cutting (See page 83).



NEPHROLEPIS EXALTATA AMERPOHLII.

The photograph well displays the feathery fronds, which make this new fern a valuable addition to the greenhouse (See page 87).

Cyrtomium

- * anomophyllum 1/6
- * falcatum 1/6
- Rochfordii 3/6

Davallia

- alpina 2/6
- amoena 2/6
- angustata 2/6
- Brasiliensis 2/6
- bullata 1/6
- canariensis 1/6
- pulchella 2/6
- decurrens 2/6
- elegans 1/6
- * tenuifolia stricta 2/6

Dicksonia (Tree Fern)

- antarctica 2/6
- squarrosa 2/6

Dictyogramme

- japonicum 1/6
- variegata 1/6

Didymochlæna

- truncatula 2/6

Gleichenia

- dicarpa 7/6
- longipinnata 7/6
- dichotoma 7/6

Gleichenia

- flabellata 7/6
- Mendelii 7/6
- rupestris 7/6
- glaucescens 7/6
- semivestita 7/6
- speluncæ 7/6

Lastrea (Aspidium)

- aristata 1/6
- variegata 1/6
- erythrosora 1/6
- lepida 1/6
- patens 1/6

* Suitable for Indoor Decoration.

Leucostegia

immersa 2/6

Lomaria

* gibba 1/6

Patersonii 2/6

Lygodium

japonicum 2/6

scandens 2/6

Neprodium (Aspidium)

molle corymbiferum 1/6

Nephrolepis

* cordifolia compacta 1/6

elegantissima 1/6

* exaltata 1/6

* Amerpohlii 1/6

(See illustration
page 86).

* Piersonii 1/6

* superba 2/6

(See illustration
below).

* todeoides 1/6

tuberosa 1/6

* Whitmanii 1/6

Nephrolepis

* Marshallii 2/6

* compacta 3/6

Niphobolus

lingua 2/6

corymbifera 3/6

Onychium

auratum 2/6

* japonicum 1/6

Osmunda

* palustris 1/6

crispata congesta 2/6



NEPHROLEPIS EXALTATA SUPERBA.

Another good novelty of recent introduction.

**PTERIS CHILDSII.**

One of the best for growing in a room and for exhibition.

Platycterium

| | |
|------------|-----|
| alcicorne | 3/6 |
| Hillii | 3/6 |
| majus | 3/6 |
| Willinekii | 5/- |

Polypodium

| | |
|-----------------------|-----|
| * aureum | 1/6 |
| * glaucum | 1/6 |
| * cristatum | 2/6 |
| * Mayii | 2/6 |
| neriifolium cristatum | 2/6 |
| pectinatum | 3/6 |
| pustulatum | 2/6 |
| Schneideri | 2/6 |
| * sporodocarpum | 1/6 |

Polystichum (Aspidium)

| | |
|---------|-----|
| capense | 1/6 |
|---------|-----|

Pteris

| | |
|--------------|-----|
| adiantifolia | 1/6 |
| arguta | 1/6 |
| argyrea | 1/6 |
| aurita | 1/6 |
| * Childsii | 2/6 |

(See illustration
above).

| | |
|-----------------|-----|
| * cretica major | 1/6 |
| * albo-lineata | 1/6 |
| Mayii | 1/6 |
| scaberula | 1/6 |
| serrulata | 1/6 |
| straminea | 1/6 |
| * Summersii | 2/6 |
| * tremula | 1/6 |
| Smithii | 2/6 |
| umbrosa | 1/6 |

Pteris

| | |
|-------------|-----|
| Victoriae | 2/6 |
| * Wimsettii | 1/6 |

Selaginella

| | |
|------------------------------|-----|
| * amena | 1/6 |
| apoda | 1/6 |
| denticulata | 9d. |
| * Emiliana | 1/6 |
| Martensii | 1/6 |
| variegata | 1/6 |
| serpens | 1/6 |
| umbrosa | 1/6 |
| (See also Stove List p. 84.) | |

Stenochlæna

| | |
|----------|-----|
| scandens | 2/6 |
|----------|-----|

Todea (Leptopteris)

| | |
|-----------|-----|
| * arborea | 1/6 |
|-----------|-----|

Woodwardia

| | |
|----------|-----|
| radicans | 1/6 |
|----------|-----|

* Suitable for Indoor Decoration.

HARDY EXOTIC FERNS

Adiantum

| | |
|------------|-----|
| æthiopicum | 1/6 |
| pedatum | 1/6 |
| Williamsii | 2/6 |

Allosorus

| | |
|----------------|-----|
| acrostichoides | 1/6 |
|----------------|-----|

Aspidium

| | |
|-------------------|-----|
| Clintonianum | 1/6 |
| confluens | 1/6 |
| cristatum | 1/6 |
| munitum | 1/6 |
| Nevadense | 1/6 |
| Noveboracense | 1/6 |
| spinulosum Bootii | 1/6 |
| thelypteroides | 1/- |
| uliginosum | 2/6 |

Asplenium

| | |
|----------------|-----|
| angustifolium | 1/6 |
| ebeneum | 1/- |
| crispum | 1/6 |
| fontanum | 1/6 |
| hemionites | 1/- |
| cristatum | 1/6 |
| monanthemum | 1/6 |
| thelypteroides | 1/6 |

Athyrium

| | |
|--------------|-----|
| Filix femina | |
| Americanum | 1/6 |
| Goringianum | 1/6 |
| Michauxii | 1/6 |

Cystopteris

| | |
|--------------------|-----|
| bulbifera | 1/- |
| fragilis Americana | 1/- |

Dennstædia

| | |
|--------------|-----|
| punctilobula | 1/6 |
|--------------|-----|

Hypolepis

| | |
|----------------|-----|
| anthriscifolia | 2/6 |
|----------------|-----|

Hypolepis

| | |
|---------|-----|
| distans | 2/6 |
|---------|-----|

Lastrea

| | |
|-----------------|-----|
| aristata | 1/6 |
| variegata | 1/6 |
| atrata | 1/6 |
| variegata | 1/6 |
| coniifolium | 1/6 |
| decurso-pinnata | 1/6 |
| erythrosora | 1/6 |
| Goldiana | 1/6 |
| intermedia | 1/6 |
| marginale | 1/6 |
| robusta | 1/6 |
| opaca | 1/6 |
| prolifera | 1/6 |
| pungens | 1/6 |
| Sieboldii | 1/6 |
| varia | 1/6 |

Lomaria

| | |
|-------------|-----|
| alpina | 1/6 |
| Chilense | 2/6 |
| crenulata | 2/6 |
| Magellanica | 2/6 |
| pumila | 2/6 |

Nipholobolus

| | |
|--------|-----|
| lingua | 2/6 |
|--------|-----|

Nothochlæna

| | |
|---------|-----|
| marantæ | 1/6 |
|---------|-----|

Onoclea

| | |
|------------|-----|
| sensibilis | 1/6 |
|------------|-----|

Osmunda

| | |
|-------------|-----|
| cinnamomea | 1/6 |
| Claytoniana | 1/6 |
| gracilis | 1/6 |
| elata | 2/6 |
| japonica | 1/6 |

Osmunda

| | |
|-------------|-----|
| corymbifera | 2/6 |
| furcans | 2/6 |
| polydactyla | 2/6 |
| spectabilis | 2/6 |

Phegopteris

| | |
|---------------|-----|
| hexagonoptera | 1/6 |
| polypodioides | 1/6 |

Polystichum

| | |
|----------------|-----|
| acrostichoides | 1/6 |
| grandiceps | 2/6 |
| foliosum | 2/6 |
| Braunii | 1/- |
| munitum | 1/6 |
| imbricans | 2/6 |
| proliferum | 1/6 |
| setosum | 1/6 |
| vestitum | 1/6 |
| venustum | 1/6 |
| viviparum | 2/6 |

Struthiopteris

| | |
|---------------|-----|
| Germanica | 1/6 |
| orientalis | 2/6 |
| Pennsylvanica | 1/6 |
| recurva | 2/6 |

Woodsia

| | |
|-------------------------|-----|
| alpina | 1/6 |
| Ilvensis | 1/6 |
| obtusa | 1/- |
| polystichoides Veitchii | 2/6 |
| scopulina | 2/6 |

Woodwardia

| | |
|--------------|-----|
| angustifolia | 1/6 |
| orientalis | 1/6 |
| radicans | 1/6 |
| Americana | 3/6 |
| virginica | 1/6 |

BRITISH FERNS

Adiantum

| | |
|--|-----|
| Capillus-veneris (Hardy Maidenhair Fern) | 1/- |
| cornubiense | 1/6 |
| daphnites | 1/6 |
| fissum | 1/6 |
| grande | 1/6 |
| magnificum | 1/6 |
| Moritzianum | 1/6 |

Allosorus

| | |
|---------|-----|
| crispus | 1/- |
|---------|-----|

Asplenium

| | |
|-----------------|------|
| Adiantum-nigrum | 9d. |
| acutum | 1/- |
| microdon | 3/6 |
| alternifolium | 1/6 |
| lanceolatum | 1/6 |
| marinum | 9d. |
| crispum | 2/6 |
| imbriatum | 1/6 |
| plumosum | 10/6 |
| ruta-muraria | 1/- |
| septentrionale | 1/6 |
| Trichomanes | 9d. |
| confluens | 7/6 |
| cristatum | 1/- |
| incisum | 2/6 |
| Moulei | 1/6 |
| multifidum | 1/6 |
| Stableri | 7/6 |
| viride | 9d. |
| cristatum | 3/6 |
| multifidum | 5/- |

Athyrium

| | |
|--------------------------|------|
| Filix femina (Lady Fern) | 6d. |
| capitatum | 1/6 |
| clarissima | 10/6 |
| congestum grandiceps | 1/6 |
| laciniatum cristatum | 1/6 |
| conioides | 3/6 |
| coronans | 1/- |
| Craigii | 1/6 |
| cristulatum | 2/6 |
| cruciatum | 1/6 |
| Elworthii | 2/6 |

Athyrium

| | |
|------------------------|-----|
| Filix femina Fieldiae | 1/6 |
| formoso-Frizelliae | 1/6 |
| Girdlestonei | 7/6 |
| plumosum cristatum | 7/6 |
| grandiceps | 1/6 |
| Kalothrix | 2/6 |
| pamosum | 1/6 |
| plumosum Axminsterense | 2/6 |
| cristatum | 2/6 |
| elegans cristatum | 2/6 |
| Parsonii | 3/6 |
| polydactylum | 2/6 |
| Pritchardii | 1/6 |
| cristatum | 2/6 |
| pulcherrimum | 1/6 |
| polydactylum | 2/6 |
| setigerum | 1/6 |
| thysanotum | 2/6 |
| todeoides | 1/6 |
| cristatum | 1/6 |
| Vernone | 1/6 |
| cristatum | 1/6 |
| Victoriae | 1/6 |

And many other fine varieties.

Blechnum

| | |
|---------------------|-----|
| Spicant (Hard Fern) | 6d. |
| Aitkenianum | 1/6 |
| cristatum | 2/6 |
| imbriato-erectum | 2/6 |
| Maunderi | 2/6 |
| plumosum | 2/6 |
| ramo-cristatum | 2/6 |
| triernvium coronans | 1/6 |

Ceterach

| | |
|-------------|-----|
| officinatum | 9d. |
|-------------|-----|

Cystopteris

| | |
|-------------------------|-----|
| alpina | 1/6 |
| fragilis (Bladder Fern) | 6d. |
| cristata | 3/6 |
| dentata | 1/6 |
| Dickiana | 1/6 |
| sempervirens | 1/6 |
| montana | 1/6 |
| tenuis | 1/6 |

Hymenophyllum

| | |
|--------------|-----|
| Tunbridgense | 1/6 |
| Wilsonii | 1/6 |

Lastrea

| | |
|---------------------------------|-----|
| æmula | 6d. |
| cristata | 1/6 |
| dilatata | 6d. |
| foliosa | 1/6 |
| Howardæ | 2/6 |
| lepidota | 1/6 |
| polydaetyla | 1/6 |
| Filix mas (Male Fern) | 6d. |
| Barnesii | 1/- |
| Bollandiæ | 1/6 |
| cristata Martendelii | 1/6 |
| Cronkleyana | 1/6 |
| digitato Jonesii | 1/6 |
| grandiceps | 1/6 |
| lineare | 1/6 |
| polydaetyla | 1/- |
| propinqua (Soft Male Fern) | 9d. |
| gracilis fureans | 2/6 |
| grandiceps Wollastonii | 1/6 |
| puchella | 1/6 |
| pseudo-mas (Hard Male Fern) | 9d. |
| crispa angustata | 2/6 |
| cristata | 1/6 |
| gracilis | 1/6 |
| cristata (King of Male Ferns) | 1/- |
| angustata | 1/6 |
| fimbriata | 1/6 |
| cruciatum | 1/- |
| Pinderi | 1/- |
| polydaetyla Daddsii | 1/6 |
| Willsii | 1/6 |
| ramo-cristata | 1/6 |
| ramosissima | 3/6 |
| ramulosissima | 3/6 |
| montana (Mountain Buckler Fern) | 6d. |
| And many others. | |

Ophioglossum

| | |
|--------------------------------|-----|
| vulgatum (Adder's Tongue Fern) | 2/6 |
|--------------------------------|-----|

Osmunda

| | |
|----------------------|-----|
| regalis (Royal Fern) | 1/- |
| cristata | 1/6 |
| decomposita | 1/6 |
| purpurascens | 2/6 |
| undulata | 1/6 |

Polypodium

| | |
|---------------------------|-----|
| vulgare (Common Polypody) | 6d. |
| Cambricum | 1/6 |
| plumosum Hadwinii | 2/6 |
| Cornubiense | 1/6 |
| glomeratum | 1/6 |
| grandiceps Fosteri | 2/6 |
| Parkeri | 2/- |
| puleherrimum | 2/6 |
| ramosum Watsonii | 1/6 |
| Trichomanoides | 1/6 |

Polystichum

| | |
|------------------------------|-----|
| aculeatum (Hard Shield Fern) | 6d. |
| acrocladon | 2/6 |
| cristato-gracile | 1/6 |
| Lowei | 2/6 |
| densum | 1/- |
| puleherrimum | 7/6 |
| angulare (Soft Shield Fern) | 9d. |
| acutilobium Birkenheadii | 2/6 |
| grandiceps | 2/6 |
| brachiato-cristatum | 2/6 |
| congestum | 1/- |
| cristatum | 2/6 |
| polydaetylum | 2/6 |
| crispato-foliosum | 2/6 |
| cristatum Carbonellii | 1/6 |
| Wollastonii | 1/6 |
| cristato-gracile | 1/- |
| decompositum Moulei | 2/6 |
| divisilobum | 1/- |
| acutum Jonesii | 3/6 |
| Carbonellii | 2/6 |
| Crawfordii | 2/6 |
| Henleyæ | 1/6 |
| longipinnatum | 2/6 |
| plumosa-tenuæ Foxii | 3/6 |
| plumosum | 3/6 |
| densum Foxii | 5/- |
| polydaetylum | 3/6 |
| plumosissimum | 7/6 |
| flabellipinnulum | 2/6 |
| gracile | 1/6 |
| grandiceps | 1/6 |
| grandidens Carbonellii | 1/6 |
| Grayii | 1/6 |
| imbricatum Jonesii | 2/6 |
| latifolium grandiceps | 2/6 |
| lineare | 1/- |

Polystichum

| | |
|------------------------------|-----|
| lineare polydaetylum | 2/6 |
| Willsii | 1/6 |
| multilobum | 1/- |
| densum | 3/6 |
| polydaetylum | 2/6 |
| parvissimum | 1/- |
| plumosum | 2/6 |
| densum | 3/3 |
| Pateyi | 2/9 |
| Wollastonii | 2/6 |
| proliferum Allchinii | 1/6 |
| rotundatum | 1/6 |
| setosum | 1/- |
| stipatum | 2/6 |
| venustum | 2/6 |
| grandiceps | 2/6 |
| lonchitis (Hardy Holly Fern) | 1/6 |
| And many others. | |

Pteris

| | |
|------------------------|-----|
| aquilina (The Bracken) | 6d. |
| congesta | 2/6 |
| grandiceps | 2/6 |
| glomerata | 2/6 |
| percristata | 2/6 |
| polydaetyla | 2/6 |

Scolopendrium

| | |
|------------------------------|-----|
| vulgare (Hart's Tongue Fern) | 6d. |
| bimarginatum | 1/- |
| capitatum | 1/6 |
| Coolingii | 1/6 |
| coronatum | 1/- |
| corymbiferum | 1/- |

Scolopendrium

| | |
|---------------------|-----|
| crispum | 1/- |
| Bowdenii | 1/6 |
| fimbriatum | 2/6 |
| grande | 3/6 |
| marginatum | 1/6 |
| muricatum | 1/6 |
| subfimbriatum | 2/6 |
| cristatum majus | 1/- |
| cristulatum | 2/6 |
| digitatum | 1/- |
| fissidens | 1/- |
| fissum | 1/- |
| grandiceps | 1/6 |
| Kelwayii | 1/- |
| keratoides | 1/- |
| laceratum | 1/- |
| marginato crenatum | 1/- |
| multifidum | 1/- |
| muricato-cristatum | 1/6 |
| spirale | 1/6 |
| ramo cristatum | 1/- |
| crisulatum | 2/6 |
| digitatum majus | 1/6 |
| marginatum | 1/6 |
| ramulosissimum | 3/6 |
| spirale | 1/- |
| sagittatum | 1/- |
| sagittato-projectum | 2/6 |
| undulatum | 1/- |
| undulato-marginatum | 1/6 |
| Wardii | 1/- |

Woodsia

| | |
|----------|-----|
| alpina | 2/6 |
| Ilvensis | 1/6 |

Collections of Hardy Exotic and British Ferns can be supplied at the following rates:—

| | | | | £ | s. | d. |
|---------------|------------------------------------|---|---|---|----|----|
| 100 plants in | 100 distinct species and varieties | | | 5 | 0 | 0 |
| 100 | „ 50 | „ | „ | 3 | 10 | 0 |
| 50 | „ 50 | „ | „ | 2 | 0 | 0 |
| 50 | „ 25 | „ | „ | 1 | 10 | 0 |
| 25 | „ 25 | „ | „ | 1 | 0 | 0 |
| 12 | „ 12 | „ | „ | | 9 | 0 |

Woodland varieties such as Lastreas, Athyriums, Scolopendriums, etc., 4/- and 6/- per doz.; 30/- to 45/- per 100 according to strength.

INDEX

| | PAGE | | PAGE |
|---|--------|-------------------------------------|--------|
| Abutilon - - - | 65 | Backhousia - - - | 66 |
| Acacia - - - | 65 | Bauera - - - | 66 |
| Acalypha - - - | 35 | Bays - - - | 82 |
| Acanthopanax - - - | 65 | Beaufortia - - - | 66 |
| Achimenes - - - | 35 | Begonia - - - | 17, 49 |
| Acrostichum (see Platyceium 84) | | Bertolonia - - - | 21 |
| Ada - - - | 5 | Bignonia - - - | 35, 66 |
| Adder's Tongue Fern (see Ophioglossum) | 91 | Bladder Fern (see Cystopteris) | 90 |
| Adiantum - 83, 85, 89, 90 | | Blandfordia - - - | 66 |
| Æschynanthus - - - | 35 | Blechnum - - - | 90 |
| Agapanthus - - - | 65 | Boronia - - - | 66 |
| Allamanda - - - | 35 | Bottle Brush (see Metrosideros) | 73 |
| Allosorus - - - | 89, 90 | Bougainvillea - - - | 35 |
| Alocasia - - - | 13 | Bouvardias - - - | 50 |
| Aloysia - - - | 65 | Brachysema - - - | 66 |
| Alpinia - - - | 35 | Brainea - - - | 83 |
| Alsophila - - - | 85 | Bracken Fern (see Pteris) | 92 |
| Amaryllis - - - | 14 | Brassavola - - - | 5 |
| Amasonia - - - | 35 | Brassia - - - | 5 |
| Amphicome - - - | 65 | Brassocattleya - - - | 5 |
| Ananassa - - - | 35 | Brassolælia - - - | 5 |
| Anemia - - - | 85 | British Ferns - - - | 90 |
| Angræcum - - - | 5 | Brugmansia - - - | 67 |
| Anguloa - - - | 5 | Brunfelsia (see Franciscea) | 39 |
| Anopterus - - - | 65 | Bulbophyllum - - - | 5 |
| Anthurium - - - | 17 | Burchellia - - - | 36 |
| Aotus - - - | 65 | Caladiums - - - | 22 |
| Aphelandra - - - | 35 | Calanthe - - - | 5 |
| Aphelexis - - - | 65 | Calceolaria - - - | 67 |
| Aralia - - - | 35, 66 | Callicarpa - - - | 67 |
| Araucaria - - - | 66 | Camellias - - - | 50 |
| Ardisia - - - | 35 | Campanula - - - | 67 |
| Areca - - - | 79 | Candollea - - - | 67 |
| Aristolochia - - - | 35 | Cannas - - - | 52 |
| Artillery Plant (see Pilea) | 44 | Cantua - - - | 67 |
| Asparagus - - - | 35 | Carex - - - | 67 |
| Aspidistra - - - | 66 | Cassia - - - | 67 |
| Aspidium - - - | 89 | Casuarina - - - | 67 |
| (see also | | Catasetum - - - | 5 |
| Lastrea - 86 | | Cat's Head (see Ataccia) | 35 |
| Nephrodium, 87 | | Cattleya - - - | 5 |
| Polystichum, 88) | | Centropogon - - - | 36 |
| Asplenium - 83, 85, 89, 90 | | Ceratopetalum - - - | 67 |
| Ataccia - - - | 35 | Ceropegia - - - | 36 |
| Athyrium - - - | 89, 90 | Ceterach - - - | 90 |
| Azaleas - - - | 47 | Chamærops - - - | 79 |
| | | Cheilanthes - - - | 83, 85 |
| | | Chorizema - - - | 67 |
| | | Chysis - - - | 5 |
| | | Cineraria - - - | 67 |
| | | Cissus - - - | 36, 67 |
| | | Citron (see Citrus) | 68 |
| | | Citrus - - - | 67 |
| | | Clematis - - - | 68 |
| | | Clerodendron - - - | 36 |
| | | Clethra - - - | 68 |
| | | Clianthus - - - | 68 |
| | | Climbers - - - | 46, 77 |
| | | Clivias (see Imantophyllum) | 57 |
| | | Cobæa - - - | 68 |
| | | Cochlioda - - - | 5 |
| | | Cocos - - - | 79 |
| | | Cœlogyne - - - | 5 |
| | | Coffea - - - | 36 |
| | | Coleus - - - | 68 |
| | | Combretum - - - | 36 |
| | | Common Polypody (see Polypodium) | 91 |
| | | Conoclinium - - - | 36 |
| | | Coprosma - - - | 68 |
| | | Coronilla - - - | 68 |
| | | Corypha - - - | 79 |
| | | Crassula (see Kalosanthes) | 72 |
| | | Crinum - - - | 69 |
| | | Crossandra - - - | 36 |
| | | Crotons - - - | 25 |
| | | Crowea - - - | 69 |
| | | Curculigo - - - | 37 |
| | | Cyanophyllum - - - | 37 |
| | | Cyathea - - - | 85 |
| | | Cyclamen - - - | 69 |
| | | Cyenochea - - - | 5 |
| | | Cymbidium - - - | 5 |
| | | Cyperus - - - | 37 |
| | | Cypripedium - - - | 7 |
| | | Cyrtodeira - - - | 37 |
| | | Cyrtomium - - - | 86 |
| | | Cystopteris - - - | 89, 90 |
| | | Cytisus - - - | 69 |
| | | Daphne - - - | 69 |
| | | Datura (see Brugmansia) | 67 |
| | | Davallia - - - | 83, 86 |
| | | Debregeasia - - - | 37 |
| | | Dendrobium - - - | 10 |

INDEX

| | PAGE | | PAGE | PAGE | |
|---------------------------------------|--------|---|--------|--|------------|
| Dendrochilum (see Platyclinis) | 12 | Greenhouse Ferns | 85 | Lady Fern (see Athyrium) | 90 |
| Denmstedtia | 89 | Greenhouse Plants | 47 | Laelia | 10 |
| Dichorisandra | 37 | Grevillea | 70 | Laeliocattleya | 10 |
| Dicksonia | 86 | Gymnogramme | 83 | Lapageria | 72 |
| Dictyogramme | 86 | Habrothamnus | 70 | Lasiandra | 72 |
| Didymochlæna | 86 | Hardenbergia | 72 | Lastrea | 86, 89, 91 |
| Dieffenbachia | 37 | (see Kennedyya) | 72 | Latania | 80 |
| Diosma | 69 | Hard Fern | 90 | Leca | 42 |
| Diplacus | 69 | (see Blechnum) | 90 | Lemon (see Citrus) | 68 |
| Dipladenia | 38 | Hard Male Fern | 91 | Leptopteris (see Todea) | 88 |
| Disa | 10 | (see Lastrea) | 91 | Leucostegia | 87 |
| Dove Orchid (see Peristeria) | 12 | Hard Shield Fern (see Polystichum) | 91 | Lime (see Citrus) | 68 |
| Dracæna | 28, 52 | Hardy Exotic Ferns | 89 | Linum | 72 |
| Dutchman's Pipe (see Aristolochia) | 35 | Hardy Holly Fern (see Polystichum) | 92 | Lomaria | 84, 86, 89 |
| Elæocarpus | 69 | Hardy Maidenhair (see Adiantum) | 90 | Lomatia | 72 |
| Epacris | 69 | Hart's Tongue Fern (see Scolopendrium) | 92 | Lonicera | 72 |
| Epidendrum | 10 | Heath (see Erica) | 69 | Lotus | 73 |
| Epiphronitis | 10 | Hedychium | 71 | Luculia | 73 |
| Epiphyllum | 69 | Heliconia | 39 | Lycaste | 12 |
| Episcia (see Cyrtodeira) | 37 | Heliotrope | 71 | Lygodium | 84, 87 |
| Eranthemum | 38 | Hexacentris | 40 | Macleania | 73 |
| Ericas | 69 | Hibbertia | 71 | Magnolia | 73 |
| Eriocnema | 38 | Hibiscus | 40 | Maidenhair Fern (see Adiantum) | 83 |
| Eriostemon | 69 | Hippeastrum (see Amaryllis) | 14 | Male Fern (see Lastrea) | 91 |
| Erlangea | 69 | Hoya | 41 | Mandevilla | 73 |
| Eucharis | 39 | Hymenocallis | 41 | Manettia | 42 |
| Eupatorium | 69 | Hymenodium | 84 | Mangosteen (see Garcinia) | 39 |
| Euphorbia | 39 | Hymenophyllum | 91 | Maranta | 31 |
| Eurya | 69 | Hypolepis | 89 | Masdevallia | 12 |
| Eutaxia | 69 | Humea | 71 | Maxillaria | 12 |
| Exacum | 39 | Imantophyllum | 57 | Medinilla | 42 |
| Ferns | 83 | Inga | 41 | Metrosideros | 73 |
| Ficus | 39, 69 | Insectivorous Plants | 71 | Miltonia | 12 |
| Fittonia | 39 | Ipomæa | 41 | Mimulus (see Diplacus) | 69 |
| Franciscea | 39 | Isolepis | 71 | Mitraria | 73 |
| Fuchsias | 54 | Ixora | 30 | Moschosma | 73 |
| Garcinia | 39 | Jacobinia | 41 | Mountain Buckler Fern (see Lastrea) | 91 |
| Gardenia | 39 | Jasminum | 41, 72 | Musa | 42, 73 |
| Geonoma | 79 | Java Rhododendrons | 61 | Mussænda | 42 |
| Geranium | 58 | Jewel Plants (see Bertolonia) | 21 | Myrsiphyllum | 73 |
| Gerbera | 70 | Kalanchoe | 72 | Myrtle (see Myrtus) | 73 |
| Ginger (see Zingiber) | 46 | Kalosanthes | 72 | Myrtus | 73 |
| Gleichenia | 86 | Kennedyya | 72 | Nægelia | 42 |
| Gloneria | 39 | Kentia | 80 | Neobenthamia | 12 |
| Gloriosa | 39 | King of Male Ferns (see Lastrea) | 91 | Nepenthes | 32 |
| Gloxinias | 29 | Kalanchoe | 72 | Nephrodium | 87 |
| Gold Medals | 3 | Kalosanthes | 72 | Nephrolepis | 84, 87 |
| Goniophlebium | 83 | Kennedyya | 72 | Nephtytis | 42 |

INDEX

| | PAGE | | PAGE | | PAGE |
|-----------------------|------------|---------------------------|------------|---------------------------|--------|
| Nerine | 73 | Pleurothallis | 12 | Sonerila | 45 |
| Nerium | 73 | Plumbago | 44, 73 | Sophronitis | 12 |
| Nidularium | 42 | Poinsettia | 44 | Sparmannia | 76 |
| Nipholobolus | 87, 89 | Polygala | 73 | Sphaerogyne | 46 |
| Nothochlæna | 84, 89 | Polypodium | 84, 88, 91 | Stanhopea | 12 |
| Odontoglossum | 12 | Polystichum | 88, 89, 91 | Statice | 76 |
| Oleander (see Nerium) | 73 | Posoqueria | 44 | Stenochlæna | 88 |
| Oncidium | 12 | Pothos | 45 | Stephanotis | 46 |
| Onoclea | 89 | Primula | 73 | Stigmaphyllon | 46 |
| Onychium | 87 | Promenæa | 12 | St. Michael's Orange | |
| Ophioglossum | 91 | Pteris | 84, 88, 92 | (see Citrus) | 67 |
| Ophiopogon | 73 | Reidia | 45 | Stove Ferns | 83 |
| Orchids | 5 | Renanthera | 12 | Stove Plants | 13 |
| Osmunda | 87, 89, 91 | Rhapis | 80 | Strelitzia | 46 |
| Otaheite Orange | | Rhododendrons | 61 | Streptocarpus | 64 |
| (see Citrus) | 67 | Rhopala | 75 | Streptosolen | 76 |
| Oxera | 42 | Rhynchospermum | 75 | Strobilanthes | 46 |
| Palms | 79 | Richardia | 75 | Struthiopteris | 89 |
| Panax | 42 | Rivina | 45 | Swainsona | 77 |
| Pancreatium | 42 | Rochea | 75 | Sweet Verbena | |
| Pandanus | 42 | Rogiera | 45 | (see Aloysia) | 65 |
| Panicum | 42 | Rondeletia | 45 | Tacsonia | 77 |
| Passiflora | 42, 73 | Royal Fern (see Osmunda) | 91 | Tecoma | 77 |
| Paullinia | 43 | Rubber Plant (see Ficus) | 69 | Thea (Tea) | 77 |
| Pelargoniums | 57 | Ruellia | 45 | Thibaudia | 77 |
| Pellionia | 43 | Ruscus | 75 | Thunbergia | 46 |
| Pentapterygium | 73 | Russelia | 45 | Thyrsacanthus | 46 |
| Peristeria | 12 | Salvia | 75 | Tillandsia | 46 |
| Petrea | 44 | Sanchezia | 45 | Todea | 88 |
| Phaius | 12 | Saxifraga | 76 | Torenia | 46 |
| Phalænopsis | 12 | Scarborough Lily | | Toxicophlæa | 46 |
| Phegopteris | 89 | (see Vallota) | 77 | Tradescantia | 46 |
| Philodendron | 44 | Schubertia | 45 | Transvaal Daisy | |
| Phœnix | 80 | Scolopendrium | 92 | (see Gerbera) | 70 |
| Phormium | 73 | Scutellaria | 45 | Tree Fern (see Dicksonia) | 86 |
| Phrynium | 44 | Selaginella | 84, 88 | Trichopilia | 12 |
| Phyllanthus | 44 | Senecio | 76 | Trichosma | 12 |
| (see also Reidia, 45) | | Sericographis | 45 | Tydea | 46 |
| Phyllocactus | 60 | Shaddock (see Citrus) | 67 | Vaccinium | |
| Phyllotænium | 44 | Sibthorpia | 76 | (see Pentapterygium) | 73 |
| Physianthus | 73 | Silver Fern | | Vallota | 77 |
| Pilea | 44 | (see Gymnogramme) | 84 | Vanda | 12 |
| Pillar Plants | 46, 77 | Smilax (see Myrsiphyllum) | 73 | Vanilla | 46 |
| Pilumna | 12 | Sobralia | 12 | Veronica | 77 |
| Pimelea | 73 | Soft Male Fern | | Winter Flowering | |
| Piper | 44 | (see Lastrea) | 91 | Plants, | 46, 77 |
| Pitcher Plants | | Soft Shield Fern | | Woodsia | 89, 92 |
| (see Nepenthes) | 32 | (see Polystichum) | 91 | Woodwardia | 88, 89 |
| Platycerium | 84, 88 | Solanum | 45, 76 | Zingiber | 46 |
| Platyclinis | 12 | Sollya | 76 | Zygopetalum | 12 |

In addition to this Catalogue we publish the following Lists and Catalogues, which we shall be happy to forward post free on application:—

VEGETABLE and FLOWER SEEDS, GARDEN TOOLS, SUNDRIES.

HARDY HERBACEOUS PERENNIALS and ALPINE PLANTS.

HARDY ORNAMENTAL TREES and SHRUBS, CONIFERS, etc.

FRUIT TREES, GRAPE VINES, FIGS, etc.

BULBS and FORCING PLANTS.

HARDY WATER LILIES

ROSES.

CARNATIONS.

CHRYSANTHEMUMS.

STRAWBERRIES

BEDDING PLANTS.

DAHLIAS.

JAMES VEITCH & SONS,
LTD.,

ROYAL EXOTIC NURSERY,

CHELSEA, LONDON.



Map showing the position of Messrs. Veitch's Nurseries.

